

Abbotts bagworm, *Oeceticus abbottii*, **Lep.** (*Psychid.*)  
 Abbotts sphinx, *Sphæcodina abbotti*, **Lep.** (*Sphingid.*)  
 abeille, *Apis mellifera*, **Hym.** (*Apid.*)  
 achemon sphinx (moth), *Pholus achemon*, **Lep.** (*Sphingid.*)  
 acleris de la canneberge, *Acleris (Teras) minuta*, **Lep.** (*Tortric.*)  
 aegerie du fraisier, *Aegeria rutilans*, **Lep.** (*Sesiid.*)  
 aegie du grosseillier, *Aegeria tipuliformis*, **Lep.** (*Sesiid.*)  
 agile du poirier, *Agrilus sinuatus*, **Col.** (*Euprest.*)  
 agitating cricket, *Hapithus agitator*, **Orth.** (*Gryllid.*)  
 akeed fringed scale, *Lepidosaphes pustulans*, **Hom.** (*Coccid.*)  
 alder bud moth, *Coleophora fuscedinella*, **Lep.** (*Elachist.*)  
 aleurodes des serres, *Asterochiton vaporarorum*, **Hom.** (*Aleurod.*)  
 alfalfa caterpillar, *Eurymus eurytheme*, **Lep.** (*Pierid.*)  
   " chalcid, *Bruchophagus funebris*, **Hym.** (*Chalcid.*)  
   " gall midge, *Asphondylia miki*, **Dipt.** (*Cecidom.*)  
   " leaf weevil, *Hypera murina*, **Col.** (*Curcul.*)  
   " thrips, *Frankliniella occidentalis*, **Thys.** (*Thripid.*)  
   " webworm, *Loxostege commixtalis (semilalis)*, **Lep.** (*Pyralid.*)  
   " weevil, *Hypera postica (variabilis)*, **Col.** (*Curcul.*)  
 altise de la fraise, *Altica ignita*, **Col.** (*Chrysomel.*)  
   " de la vigne, *Haltica ampelophaga, H. chalybea*, **Col.** (*Chrysomel.*)  
   " du tabac, *Epitrix parvula*, **Col.** (*Chrysomel.*)  
 alypie à huit taches, *Alypia octomaculata*, **Lep.** (*Agaristid.*)  
 amaranth flea-beetle, *Disonycha glabrata*, **Col.** (*Chrysomel.*)  
 ambrosia beetle, *Ipidæ (Scolytidæ)*, **Col.**  
 american blight, *Eriosoma lanigerum*, **Hom.** (*Aphid.*)  
   " cockroach, *Feriplaneta americana*, **Orth.** (*Blattid.*)  
   " copper, *Heodes hypophloeas*, **Lep.** (*Lycarnid.*)  
   " dagger moth, *Apatela (Acronycta) americana*, **Lep.** (*Noctuid.*)  
   " dog tick, *Dermacentor electus*, **Acar.** (*Ixodid.*)  
   " frit-fly, *Oscinis soror*, **Dipt.** (*Oscinid.*)  
   " gad-fly, *Tabanus americanus*, **Dipt.** (*Tabanid.*)  
   " holly-leaf miner, *Phytomyza ilicicola*, **Dipt.** (*Agromyzid.*)  
   " locust, *Schistocerca americana*, **Orth.** (*Locustid.*)  
   " plum borer, *Euzophera semifuneralis*, **Lep.** (*Pyralid.*)

- american raspberry beetle, *Byturus unicolor*, **Col.** (*Byturid.*)  
 „ rose slug, *Endelomyia rosae*, **Hym.** (*Tenthred.*)  
 ancyllis rongeur de feuilles du fraisier, *Ancyllis complana*, **Lep.** (*Tortric.*)  
 angular-winged katydid, *Microcentrum retinerve*, **Orth.** (*Phaneropt.*)  
 angulated silkmoth, *Calosamia angulifera*, **Lep.** (*Saturnid.*)  
 Angumois grain moth, *Sitotroga cerealella*, **Lep.** (*Gelechiid.*)  
 anisota de Virginie, *Anisota virginiensis*, **Lep.** (*Ceratocamp.*)  
 annona fruit fly, *Ceratitidis anonae*, **Dipt.** (*Tripet.*)  
 antique tussock-moth, *Notolophus antiqua*, **Lep.** (*Lymantr.*)  
 apple and cherry ermine moths, *Hyponomeuta malinellus* & *padellus*, **Lep.**  
 „ and quince borer, *Cossus tristicus*, **Lep.** (*Cossid.*) [(*Hyponom.*)  
 „ and thorn skeletonizer, *Hemerophila pariana*, **Lep.** (*Glyphipterygid.*)  
 „ aphid (green), *Aphis pomi*, **Hom.** (*Aphid.*)  
 „ „ , rosy, *Aphis sorbi (malifoliae)*, **Hom.** (*Aphid.*)  
 „ -blossom weevil, *Anthonomus pomorum*, **Col.** (*Curcul.*)  
 „ bucculatrix, *Bucculatrix pomifoliella*, **Lep.** (*Lyonetiid.*)  
 „ bud-aphid, *Siphocoryne avenae*, **Hom.** (*Aphid.*)  
 „ bud-borer, *Epinotia (Steganoptycha) pyricolana*, **Lep.** (*Tortric.*)  
 „ bud-moth, *Tmetocera ocellana*, **Lep.** (*Tortric.*)  
 „ bud-worm, *Exartema malanum*, **Lep.** (*Tortric.*)  
 „ clearwing, *Sesia myopaeformis*, **Lep.** (*Sesiid.*)  
 „ crotch-borer, *Aegeria pyri*, **Lep.** (*Sesiid.*)  
 „ curculio, *Trachypterus (Anthonomus) quadrigibbus*, **Col.** (*Curcul.*)  
 „ flea-beetle, *Altica foliacea* & *punctipennis*, **Col.** (*Chrysomel.*)  
 „ fruit-miner, *Argyrestia conjugella*, **Lep.** (*Hyponomeut.*)  
 „ -grain aphid, *Rhopalosiphum prunifoliae*, **Hom.** (*Aphid.*)  
 „ -leaf aphid, *Aphis mali (pomi)*, **Hom.** (*Aphid.*)  
 „ leaf-beetle, *Graptodera foliacea*, **Col.** (*Chrysomel.*)  
 „ leaf-crumbler, *Mineola indigenella*, **Lep.** (*Elachist.*)  
 „ -leaf flea-weevil, *Orchestes pallicornis*, **Col.** (*Curcul.*)  
 „ leafhopper, *Empoasca mali*, **Hom.** (*Jassid.*)  
 „ leaf-miner, *Tischeria malifoliella*, **Lep.** (*Gracilariid.*)  
 „ leaf-roller, { *Tortrix (Archips) argyrospila*, } **Lep.** (*Tortric.*)  
                   { *Eulia velutinana*, }  
 „ -leaf sewer (Chapin's), *Ancyllis nubeculana*, **Lep.** (*Tortric.*)  
 „ -leaf skeletonizer, *Canarsia hammondi*, **Lep.** (*Pyralid.*)  
 „ maggot, *Rhagoletis pomonella*, **Dipt.** (*Trypetid.*)  
 „ moth, { *Hyponomeuta malinellus*, } **Lep.** (*Hyponomeut.*)  
                   { *Argyrestia conjugella*, }  
 „ pith moth, *Blastodacna hellerella*, **Lep.** (*Elachist.*)  
 „ psylla, *Psylla mali*, **Hom.** (*Psyllid.*)  
 „ red bug, bright, *Lygidea mendax*, **Het.** (*Capsid.*)

- apple red bug, dark, *Heterocordylus malinus*, **Het.** (*Capsid.*)  
" root aphid, *Eriosoma lanigerum*, **Hom.** (*Aphid.*)  
" root borer, *Leptops hopei*, **Col.** (*Curcul.*)  
" root borer (Australia), *Leptops hopei* & *robusta*, **Col.** (*Curcul.*)  
" sawfly, *Hoplocampa testudinea*, **Hym.** (*Tenthred.*)  
" seed chalcid, *Syntomapsis druparum*, **Hym.** (*Chalcid.*)  
" stem piercer, *Magdalis barbicornis*, **Col.** (*Curcul.*)  
" sucker, *Psylla mali*, **Hom.** (*Psyllid.*)  
" tree aphid, *Aphis mali*, **Hom.** (*Aphid.*)  
" tree borer, *Rhizopertha collaris*, **Col.** (*Bostrych.*)  
" " " , flatheaded, *Chrysobothris femorata*, **Col.** (*Buprestid.*)  
" " " , roundheaded, *Saperda candida*, **Col.** (*Cerambyc.*)  
" " " , spotted, *Saperda cretata*, **Col.** (*Cerambyc.*)  
" tree bucculatrix, *Bucculatrix pomifoliella*, **Lep.** (*Lyonetiid.*)  
" tree-pruner, *Elaphidion villosum*, **Col.** (*Cerambyc.*)  
" tree silk moth, *Attacus cecropia*, **Lep.** (*Saturnid.*)  
" tree tent caterpillar, *Malacosoma americana*, **Lep.** (*Lasiocamp.*)  
" twig-beetle, *Stephanoderes hispidulus*, **Col.** (*Scolytid.*)  
" twig-borer, *Schistoceros hamatus* (*Amphicerus bicaudatus*), **Col.** (*Curcul.*)  
" weevil, *Pseudanthonomus crataegi*, **Col.** (*Curcul.*)  
" wood stainer, *Pterocyclon* (*Monarthrum*) *mali*, **Col.** (*Ipid.*)  
apple worm, *Cydia* (*Carpocapsa*) *pomonella*, **Lep.** (*Tortricid.*)  
" worm, lesser, *Enarmonia prunivorana*, **Lep.** (*Tortricid.*)  
apricot scale, *Epidiaspis piricola*, *Eulecanium armeniacum*, **Hom.** (*Coccid.*)  
+ arbor-vitae leaf miner, *Argyresthia thuiella*, **Lep.** (*Hyponomeut.*)  
arcuate may beetle, *Lachnosterna arcuata*, **Col.** (*Scarabaeid.*)  
argentine ant, *Iridomyrmex humilis*, **Hym.** (*Formic.*)  
" potato weevil, *Rhigopsidius tucumanus*, **Col.** (*Psalidurid.*)  
arge tiger moth, *Apantesis arge*, **Lep.** (*Arctiid.*)  
argus tortoise beetle, *Chelymorpha argus*, **Col.** (*Cassid.*)  
armoured scale, *Selenaspidus articulatus*, **Hom.** (*Coccid.*)  
army cutworm, *Chlorызagrotis auxiliaris*, **Lep.** (*Noctuid.*)  
" worm, *Heliophila* (*Cirphis*, *Leucania*) *unipuncta*, **Lep.** (*Noctuid.*)  
" worm, fall, *Laphygma frugiperda*, **Lep.** (*Noctuid.*)  
" " semitropical, *Prodenia eridana*, **Lep.** (*Noctuid.*)  
arpenouse de la caneberge, *Xanthotype crocataria*, **Lep.** (*Geom.*)  
" de l'automne, *Anisopterix* (*Alsophila*) *pometaria*, **Lep.** (*Geometr.*)  
" du pommier { *Anisopterix pometaria*, **Lep.** (*Geometr.*)  
                  *Palaeacrita vernata*,  
ash gall mite, *Eriophyes fraxini*, **Acar.** (*Eriophyid.*)  
ash-gray blister-beetle, *Macrobasis unicolor*, **Col.** (*Meloid.*)  
asiatic ladybird, *Chilocorus similis*, **Col.** (*Coccinell.*)

- asiatic locust, *Locusta migratoria ph. danica*, **Orth.** (*Locustid.*)  
 asparagus beetle, *Crioceris asparagi & duodecim-punctata*, **Col.** (*Chrysomel.*)  
     " fly, *Platyparaea poeciloptera*, **Dipt.** (*Trypet.*)  
     " miner, *Agromyza simplex*, **Dipt.** (*Agromyz.*)  
 aspen borer, large, *Cacoecia conflictana*, **Lep.** (*Tortric.*)  
 atlantic locust, *Melanoplus atlantis*, **Orth.** (*Aceridid.*)  
 atriplex scale, *Pulvinaria maskelli*, **Hom.** (*Coccid.*)  
 atropos de livres, *Troctes divinatoria*, **Cop.** (*Psocid.*)  
 attaque cecropia, *Samia cecropia*, **Lep.** (*Saturnid.*)  
 australian apple leafhopper, *Typhlocyba australis*, **Hom.** (*Jassid.*)  
     " fern weevil, *Syagrius fulvitarus*, **Col.** (*Curcul.*)  
     " fly-bug, *Nysius vinitor*, **Hom.** (*Lygaeid.*)  
     " ladybird, *Novius (Vedalia) cardinalis*, **Col.** (*Coccinell.*)  
     " tomato weevil, *Desiantha nociva*, **Col.** (*Curcul.*)  
 austrian alfalfa leaf weevil, *Hypera meles*, **Col.** (*Curcul.*)  
 avocado seed-moth, *Stenoma catenifer*, **Lep.** (*Xylorictid.*)  
     " weevil, *Heilipus perseae (lauri)*, **Col.** (*Curcul.*)  
     " whitefly, *Trialeurodes floridensis*, **Hom.** (*Aleurod.*)  
 azalea bark scale, *Eriococcus azalcae*, **Hom.** (*Coccid.*)  
 babeau rouge du navet, *Entomoscelis adonidis*, **Col.** (*Chrysomel.*)  
 babotte noire, *Colaspidema atrum*, **Col.** (*Coccinell.*)  
 X. bacon beetle, *Dermestes lardarius*, **Col.** (*Dermestid.*)  
 bag worm, *Thyridopterix ephemeraeformis*, **Lep.** (*Psychid.*)  
 Baker's mealybug, *Pseudococcus maritimus*, **Hom.** (*Coccid.*)  
 balsam bark beetle, *Pityokteines sparsus*, **Col.** (*Ipid.*)  
     " " weevil, *Pissodes dubius*, **Col.** (*Curcul.*)  
     " bud worm, *Tortrix (Harmologa) fumiferana*, **Lep.** (*Tortric.*)  
 baltimore, *Euphydryas phaeton*, **Lep.** (*Nymphal.*)  
 bamboo borer, *Eucosma paragramma*, **Lep.** (*Tortric.*)  
     & *Cyrtotrachelus longipes*, **Col.** (*Curcul.*)  
     " fruit fly, *Ceratitis striata*, **Dipt.** (*Trypet.*)  
     " scale, *Chionaspis graminis*, **Hom.** (*Coccid.*)  
     " shoot-hole borer, *Dinoderus pilifrons*, **Col.** (*Bostrych.*)  
 banana aphid, *Pentalonia nervosa*, **Hom.** (*Aphid.*)  
     " beetle borer, *Cosmopolites sordidus*, **Col.** (*Curcul.*)  
     " fruit fly, *Dacus curvipennis*, **Dipt.** (*Trypet.*)  
     " root borer, *Cosmopolites sordidus*, **Col.** (*Curcul.*)  
 banded cricket, *Nemobius fasciatus*, **Orth.** (*Gryllid.*)  
     " fleabeetle, *Systema taeniata*, **Col.** (*Chrysomel.*)  
     " hickory borer, *Chion cinctus*, **Col.** (*Cerambyc.*)  
     " leaf-footed plantbug, *Leptoglossus phyllopus*, **Hom.** (*Coreid.*)  
     " pumpkin beetle, *Aulacophora olivieri*, **Col.** (*Chrysomel.*)

- banded-wing white fly, *Asterochiton abutilonea*, **Hom.** (*Aleurod.*)  
 bande-noire, *Hesperia comma*, **Lep.** (*Hesperid.*)  
 barbeau de la canne à sucre, *Ligyryus rugiceps* & *gibbosus*, **Col.** (*Scarabaeid.*)  
 „ rouge du navet, *Entomoscelis adonidis*, **Col.** (*Chrysomel.*)  
 bark tortrix, *Laspeyresia woerberiana*, **Lep.** (*Tortric.*)  
 barley-straw worm, *Isosoma hordei*, **Hym.** (*Chalcid.*)  
 barnacle scale, *Ceroplastes cirripediformis*, **Hom.** (*Coccid.*)  
 barred-winged onion maggot, *Chaetopsis aenea*, **Dipt.** (*Ortalid.*)  
 bat bug, *Acanthia pipistrelli*, **Hom.** (*Acanthiad.*)  
 bean aphid, *Aphis rumicis*, **Hom.** (*Aphid.*)  
 „ beetle, mexican, *Epilachna corrupta*, **Col.** (*Coccinell.*)  
 „ bug, *Acanthonia tomentosicollis*, **Het.** (*Coreid.*)  
 „ cutworm, *Ogdoconta cinereola*, **Lep.** (*Noctuid.*)  
 „ fly, *Agromyza phaseoli*, **Dipt.** (*Agromyz.*)  
 „ ladybird, *Epilachna corrupta*, **Col.** (*Coccinell.*)  
 „ leaf-beetle, *Cerotoma trifurcata*, *C. denticornis*, **Col.** (*Chrysomel.*)  
 „ leafhopper, *Empoasca mali*, **Hom.** (*Psyllid.*)  
 „ leaf roller, *Eudamus proteus*, **Lep.** (*Hesperid.*)  
 „ maggot, *Chortophila (Pegomyia) fuscipes*, **Dipt.** (*Anthomyid.*)  
 „ pod borer, *Maruca testulalis*, **Lep.** (*Pyralid.*)  
 „ stem maggot, *Agromyza fabalis*, **Dipt.** (*Agromyz.*)  
 „ thrips, *Heliothrips fasciatus*, **Thys.** (*Thripid.*)  
 „ weevil, { *Bruchus obtectus*,  
                   { *Spermophagus pectoralis*, } **Col.** (*Bruchid.*)  
 „ „ broad, *Bruchus rufimanus*, **Col.** (*Bruchid.*)  
 „ „ four-spotted, *Bruchus quadrimaculatus*, **Col.** (*Bruchid.*)  
 bedbug, *Cimex lectularius*, **Hom.** (*Acanthiad.*)  
 beech coccus, *Cryptococcus fagi*, **Hom.** (*Coccid.*)  
 „ tortrix, *Laspeyresia grossana*, **Lep.** (*Tortric.*)  
 „ tortricid, *Peronea ferrugana*, **Lep.** (*Tortric.*)  
 „ -tree blight, *Pemphigus imbricator*, **Hom.** (*Aphid.*)  
 beehole-borer of teak, *Duomitus ceramicus*, **Lep.** (*Cossid.*)  
 bee moth, *Galleria melonella*, **Lep.** (*Pyralid.*)  
 beet army worm, *Caradrina exigua*, **Lep.** (*Noctuid.*)  
 „ carrion beetle, *Silpha (Blitophaga) opaca*, **Col.** (*Silphid.*)  
 „ chlorops, *Chlorops assimilis*, **Dipt.** (*Oscinid.*)  
 „ fly, *Chortophila (Pegomyia) hyoscyami*, **Dipt.** (*Anthomyid.*)  
 „ leafhopper, *Eutettix tenella*, **Hom.** (*Jassid.*)  
 „ leaf-miner, *Pegomyia vicina (hyoscyami)*, **Dipt.** (*Anthomyid.*)  
 „ root weevil, *Cleonus punctiventris*, **Col.** (*Cureul.*)  
 „ tortoise beetle, *Cassida nebulosa*, **Col.** (*Cassid.*)  
 „ webworm, *Loxostege (Phlyctenodes) sticticalis*, **Lep.** (*Pyral.*)

- beet worm, *Plusia gamma*, **Lep.** (Noctuid.)  
 belle-dame, *Vanessa cardui*, **Lep.** (Nymphalid.)  
 belted chion, *Chion cinctus*, **Col.** (Cerambyc.)  
 „ cucumber beetle, *Diabrotica balteata*, **Col.** (Chrysomel.)  
 „ red-shouldered shoot-hole borer, *Sinoxylon* (*Xylobiops*) *basilaris*,  
**Col.** (Bostrych.)
- Bermuda peach maggot, *Ceratitis capitata*, **Dipt.** (Trypetid.)  
 bianca-rossa, *Chrysomphalus dictyospermi*, **Hom.** (Coccid.)  
 bibitkever, *Ehtochira lateralis*, **Col.** (Tenebrion.)  
 bicho de cesto, *Oiceticus platensis*, **Lep.** (Psychid.)  
 billbugs, *Sphenophorus spp.*, **Col.** (Curcul.)  
 birch blister mite, *Eriophyes rudis*, **Acar.** (Eriophyid.)  
 „ leaf skeletonizer, *Bucculatrix canadensisella*, **Lep.** (Lyonetiid.)  
 „ sapwood borer, *Scolytus ratzeburgi*, **Col.** (Ipid.)  
 „ twig weevil, *Magdalis carbonaria*, **Col.** (Curcul.)
- black alfalfa leaf beetle, *Colaspidema atrum*, **Col.** (Chrysom.)  
 „ aphid, *Myzils cecisi*, **Hom.** (Aphid.)  
 „ army cutworm, *Noctua fennica*, **Lep.** (Noctuid.)  
 „ australian ladybird, *Rhizobius ventralis*, **Col.** (Coccinell.)  
 „ beetle, *Blatta orientalis*, **Orth.** (Blattid.)  
 „ beetles, *Oryctes spp.*, **Col.** (Scarabaeid.)
- blackberry crown-borer, *Bembecia marginata*, **Lep.** (Sesiid.)  
 „ gall maker, *Diastrophus turgidus*, **Hym.** (Cynipid.)  
 „ leaf miner, *Metallus bethunei* (*rubi*), **Hym.** (Tenthred.)  
 „ psyllid, *Trioza tripunctata*, **Hom.** (Psyllid.)  
 „ scale, *Diaspis rosae*, **Hom.** (Coccid.)
- black blister-beetle, *Epicauta pennsylvanica*, **Col.** (Meloid.)  
 „ -bordered yellow, *Eurema nicippe*, **Lep.** (Pierid.)  
 „ carpet beetle, *Attagenus piceus*, **Col.** (Dermestid.)  
 „ cherry aphid, *Myzus cerasi*, **Hom.** (Aphid.)  
 „ cutworm, *Agrotis ypsilon*, **Lep.** (Noctuid.)  
 „ fly, *Aleurocanthus woglumi*, **Hom.** (Aleurod.)  
 „ gad-fly, *Tabanus atratus*, **Dipt.** (Tabanid.)  
 „ gooseberry borer, *Xylocrius agassizii*, **Col.** (Cerambyc.)  
 „ -headed cranberry worm, *Rhopobota naevana* (*Eudemis vacciniana*),  
**Lep.** (Tortricid.)  
 „ -legged tortoise beetle, *Cassida nigripes*, **Col.** (Cassid.)  
 „ -lined cutworm, *Noctua fennica*, **Lep.** (Noctuid.)  
 „ locust hispa, *Hispa dorsalis*, **Col.** (Chrysomel.)  
 „ -long-sting, *Thalessa atrata*, **Hym.** (Ichneumonid.)  
 „ -marked strawberry slug, *Empria maculata*, **Hym.** (Tenthred.)  
 „ -onion fly, *Tritoxa flexa*, **Dipt.** (Ortalid.)

- black or brown aphid of violets, *Rhopalosiphum violae*, **Hom.** (*Aphid.*)  
 " beach aphid, *Aphis persicae-niger* (*prunicola*), (*Anuraphis amygdali*), **Hom.** (*Aphid.*)  
 + " -scale, *Saissetia oleae*, **Hom.** (*Coccid.*)  
 " -striped ear-fly, *Chrysops vittatus*, **Dipt.** (*Chrysopid.*)  
 " " gad-fly, *Tabanus nigrovittatus*, **Dipt.** (*Tabanid.*)  
 " swallow-tail butterfly, *Papilio polyxenes*, **Lep.** (*Papilionid.*)  
 " thrips, *Haplothrips tenuipennis*, **Thys.** (*Thripid.*)  
 > " vine weevil, *Otiorynchus sulcatus*, **Col.** (*Curcul.*)  
 " violet aphid, *Rhopalosiphum violae*, **Hom.** (*Aphid.*)  
 + " walnut weevil, *Conotrachelus retentus*, **Col.** (*Curcul.*)  
 blossom anomala, *Anomala undulata*, **Col.** (*Scarabaeid.*)  
 " weevil, *Anthonomus pomorum*, **Col.** (*Curcul.*)  
 blood-sucking cone-nose, *Conorhinus sanguisuga*, **Het.** (*Reduviid.*)  
 blow fly, *Calliphora vomitoria*, **Dipt.** (*Muscidae.*)  
 blue-grass bill-bug, *Sphenophorus parvulus*, **Dipt.** (*Curcul.*)  
 " -head, *Diloba coeruleocephala*, **Lep.** (*Noctuid.*)  
 " -spangled peach-moth, *Haploa lecontei*, **Lep.** (*Arctiid.*)  
 > " willow beetle, *Phyllodecta vulgatissima*, **Col.** (*Chrysom.*)  
 body louse, *Pediculus vestimenti*, **Apt.** (*Pedicul.*)  
 boeboeck, *Stephanoderes coffeae*, **Col.** (*Scolytid.*)  
 Bogus potato beetle, *Leptinotarsa juncta*, **Col.** (*Chrysomel.*)  
 bois-veiné, *Notodonta ziczac*, **Lep.** (*Notodont.*)  
 boll-weevil, *Anthonomus grandis*, **Col.** (*Curcul.*)  
 boll-worm, *Heliothis obsoleta* (*obscura*), **Lep.** (*Noctuid.*)  
 bolting-cloth beetle, *Tenebrioides mauretanicus*, **Col.** (*Tenebrion.*)  
 Bombay locust, *Acridium succinctum*, **Orth.** (*Acridin.*)  
 bombyx cul brun, *Euproctis chrysorrhoea*, **Lep.** (*Lymantriid.*)  
 " disparate, *Porthetria dispar*, **Lep.** (*Lymantriid.*)  
 " du murier, *Bombyx mori*, **Lep.** (*Bombycid.*)  
 book-louse, *Troctes divinatoria*, **Cop.** (*Psocid.*)  
 boreal ladybird, *Epilachna borealis*, **Col.** (*Coccinell.*)  
 bot-fly of the hare, *Cuterebra cuniculi*, **Dipt.** (*Oestrid.*)  
 box-elder bug, *Leptocoris trivittata*, **Het.** (*Coreid.*)  
 boxwood leaf-miner, european, *Monarthropalpus buxi*, **Dipt.** (*Cecidomyid.*)  
 bramble flea-louse, *Trioza tripunctata*, **Hom.** (*Psyllid.*)  
 branch and twig borer, *Polycaon confertus*, **Col.** (*Clerid.*)  
 brassy flea-beetle, *Chaetocnema pulicaria*, **Col.** (*Chrysomel.*)  
 brazil fig borer, *Heilipus bonelli*, **Col.** (*Curcul.*)  
 bristly cutworm, *Mamestra venigera*, **Lep.** (*Noctuid.*)  
 broad bean weevil, *Bruchus rufimanus*, **Col.** (*Bruchid.*)  
 broad-horned flour-beetle, *Echocerus cornutus*, **Col.** (*Tenebr.*)

- broad-nosed grain weevil, *Caulophilus latinus*, **Col.** (*Curcul.*)
- bronze apple-tree weevil, *Magdalis aenescens*, **Col.** (*Curcul.*)
- + " birch borer, *Agrilus anxius*, **Col.** (*Buprest.*)
- bronzed cutworm, *Nephelodes mimians*, **Lep.** (*Noctuid.*)
- " " " *violans*, **Lep.** (*Noctuid.*)
- " orange bug, *Rhoecoris sulciventris*, **Het.** (*Pentatom.*)
- " " " & *Stilida indecora*, **Het.** (*Pentatomid.*)
- brown bug, *Saissetia hemisphaerica*, **Hom.** (*Coccid.*)
- " cotton bug, *Euschistus servus*, **Het.** (*Pentatom.*)
- " dung fly, *Scatophaga furcata*, **Dipt.** (*Scatophag.*)
- " fruit-chaffer, *Euphoria inda*, **Col.** (*Scarabaeid.*)
- " hard-back beetle, *Phytalus smithi*, **Col.** (*Scarab.*)
- " leaf-hopper, *Agallia sanguinolenta*, **Hom.** (*Jassid.*)
- " locust, *Pachytilus sulcicollis*, **Orth.** (*Oedipod.*)
- " mite, br. peach mite, *Bryobia pratensis*, **Acar.** (*Tetranych.*)
- " spider-beetle, *Ptinus brunneus*, **Col.** (*Ptinid.*)
- " spruce bast borer, *Hylurgops glabratus*, **Col.** (*Ipid.*)
- " -tail moth, *Euproctis chrysorrhoea*, **Lep.** (*Lymantriid.*)
- Bruce's measuring worm, *Rachela bruceata*, **Lep.** (*Geometr.*)
- bruche couverte, *Bruchus obtectus*, **Col.** (*Bruchid.*)
- " de chine, " *chinensis*, **Col.** (*Bruchid.*)
- " du tréfle, *Hypera punctata*, **Col.** (*Curcul.*)
- bucculatrix du bouleau, *Bucculatrix canadensisella*, **Lep.** (*Lyonetiid.*)
- bück moth, *Hemileuca maia*, **Lep.** (*Saturnid.*)
- bud-moth, *Eucosma (Tmetocera) ocellana*, **Lep.** (*Tortric.*)
- " weevil, *Anthonomus cinctus*, **Col.** (*Curcul.*)
- " worm, *Chloridea virescens*, **Lep.** (*Noctuid.*)
- buffalo gnat, *Simulium spp.*, **Dipt.** (*Simuliid.*)
- " grasshopper, *Brachystola magna*, **Orth.** (*Oedipod.*)
- " moth (carpet beetle), *Anthrenus scrophulariae*, **Col.** (*Dermestid.*)
- " tree-hopper, *Ceresa bubalus*, **Hom.** (*Membrac.*)
- buff coloured tomato weevil, *Desiantha (Listroderes) nociva*, **Col.** (*Curcul.*)
- buff-tip, *Phalera bucephala*, **Lep.** (*Notodont.*)
- bulb mite, *Rhizoglyphus echinopus* (*Rh. hyacinthi*), **Acar.** (*Tyroglyph.*)
- bunch caterpillar, *Andraca bipunctata*, **Lep.** (*Bombyc.*)
- burdock borer, *Papaipema cataphracta*, **Lep.** (*Noctuid.*)
- butternut scale, *Eulecanium juglandifera*, **Hom.** (*Coccid.*)
- + " weevil, *Conotrachelus juglandis*, **Col.** (*Curcul.*)
- button beetle, *Coccotrypes dactyliperda*, **Col.** (*Scolytid.*)
- cabbage aphid, *Aphis brassicae*, **Hom.** (*Aphid.*)
- " bug, harlequin, *Murgantia histrionica*, **Het.** (*Pentatomid.*)
- " butterfly, *Pieris (Pontia) rapae*, **Lep.** (*Pierid.*)



- cabbage curculio, *Ceutorrhynchus rapae*, **Col.** (*Curcul.*)  
 „ gall midge, *Dasyneura brassicae*, **Dipt.** (*Cecidom.*)  
 „ looper, *Plusia (Autographa) brassicae*, **Lep.** (*Noctuid.*)  
 „ maggot, *Chortophila (Pegomyia, Phorbia) brassicae*, **Dipt.** (*Anthom.*)  
 „ midge, *Contarinia torquens*, **Dipt.** (*Cecidomyid.*)  
 „ plant-louse, *Aphis brassicae*, **Hom.** (*Aphid.*)  
 „ plusia, *Plusia brassicae*, **Lep.** (*Noctuid.*)  
 „ root maggot (fly), *Chortophila (Pegomyia, Phorbia), brassicae*,  
**Dipt.** (*Anthomyid.*)  
 „ seed-stalk weevil, *Ceutorrhynchus quadridens*, **Col.** (*Curculion.*)  
 cabbage shoot weevil, *Ceutorrhynchus assimilis*, **Col.** (*Curcul.*)  
 „ webworm, *Hellula undalis*, **Lep.** (*Pyralid.*)  
 „ white butterfly, *Pieris brassicae*, **Lep.** (*Pierid.*)  
 „ white fly, *Aleurodes proletella (brassicae)*, **Hom.** (*Aleurod.*)  
 „ worm, *Pieris rapae*, **Lep.** (*Pierid.*)  
 cabinet beetle, *Anthrenus verbasci*, **Col.** (*Dermestid.*)  
 cacao fruit fly, *Ceratitis punctata*, **Dipt.** (*Trypet.*)  
 „ mosquito, *Helopeltis bergrothi*, **Het.** (*Capsid.*)  
 „ moth, *Zaratha cramerella*, **Lep.** (*Gelechiid.*)  
 „ thrips, *Heliothrips rubrocinctus*, **Thys.** (*Thripid.*)  
 cadelle, *Tenebrioidea mauretanicus*, **Col.** (*Tenebrion.*)  
 calico-back, *Murgantia histrionica*, **Het.** (*Pentatom.*)  
 California flower beetle, *Hoplia callipyge*, **Col.** (*Scarabaeid.*)  
 „ grape rootworm, *Adoxus obscurus*, **Col.** (*Chrysomel.*)  
 „ prune weevil, *Eupagoderes varius*, **Col.** (*Curcul.*)  
 „ red scale, *Chrysomphalus aurantii*, **Hom.** (*Coccid.*)  
 „ tussock-moth, *Hemerocampa vetusta*, **Lep.** (*Lymantr.*)  
 calleta silkmoth, *Callosamia calleta*, **Lep.** (*Saturnid.*)  
 Camberwell beauty, *Vanessa antiopa*, **Lep.** (*Nymphalid.*)  
 camellia scale, *Fiorinia camellia*, **Hom.** (*Coccid.*)  
 camphor scale, *Pseudaonidia duplex*, **Hom.** (*Coccid.*)  
 cane leafhopper, *Perkinsiella saccharicida*, **Hom.** (*Fulgorid.*)  
 „ root borer, *Polyocha saccharella*, **Lep.** (*Pyralid.*)  
 „ sucker moth, *Castnia licus*, **Lep.** (*Castniid.*)  
 cane weevil, *Metamasius hemipterus*, **Col.** (*Curcul.*)  
 canker worm, *Anisopteryx pometaria* } **Lep.** (*Geometr.*)  
                   *& Palaeacrita vernata*, }  
 cantharide barrée, *Epicauta vittata*, **Col.** (*Meloid.*)  
 „ gris cendre, *Macrobasis unicolor*, **Col.** (*Meloid.*)  
 „ grise, *Epicauta cinerea*, **Col.** (*Meloid.*)  
 „ marginée, *Epicauta cinerea*, **Col.** (*Meloid.*)  
 „ noire, *Epicauta pennsylvanica*, **Col.** (*Meloid.*)

- carnation fly, *Hylemyia nigrescens*, **Dipt.** (*Anthomyid.*)  
 Carolina locust, *Dissosteira carolina*, **Orth.** (*Oedipod.*)  
 „ rear horse, *Stagmomantis carolina*, **Orth.** (*Mantid.*)  
 „ tiger beetle, *Tetracha carolina*, **Col.** (*Cicindel.*)  
 carpenter ants, *Camponotus* spp., **Hym.** (*Formicid.*)  
 „ worm, *Prionoxystus robiniae*, **Lep.** (*Cossid.*)  
 carpet beetle or „buffalo moth“, *Anthrenus scrophulariae*, **Col.** (*Dermeest.*)  
 „ moth, *Trichophaga tapetzella*, **Lep.** (*Tineid.*)  
 carrot-beetle, *Ligyris gibbosus*, **Col.** (*Scarabaeid.*)  
 „ fly (c. rust-fly), *Psila rosae*, **Dipt.** (*Psilid.*)  
 case-bearer, cigar, *Coleophora fletcherella*, **Lep.** (*Elachistid.*)  
 „ „ pistol, *Coleophora malivorella*, **Lep.** (*Elachistid.*)  
 case-making clothes moth, *Tinea pellionella*, **Lep.** (*Tineid.*)  
 castilloa borer, *Inesida leprosa*, **Col.** (*Cerambyc.*)  
 castor-bean tick, *Ixodes ricinus*, **Acar.** (*Ixodid.*)  
 „ -semi-looper, *Achaea (Ophiusa) melicerte*, **Lep.** (*Noctuid.*)  
 catalina cherry-moth, *Melissopus latiferreana*, **Lep.** (*Tortic.*)  
 catalpa scale, *Diaspis pentagona*, **Hom.** (*Coccid.*)  
 „ sphinx, *Ceratonia catalpae*, **Lep.** (*Sphingid.*)  
 cat and dog flea, *Ctenocephalus canis*, **Aphan.** (*Pulicid.*)  
 cattle louse, *Trichodectes scalaris*, **Mall.** (*Trichodectid.*)  
 „ tick, *Boophilus annulatus*, **Acar.** (*Ixodid.*)  
 cauliflower pyralid, *Pachyzancla bipunctalis*, **Lep.** (*Pyral.*)  
 ceecropia (silk-)moth, *Samia ceecropia*, **Lep.** (*Saturnid.*)  
 celery caterpillar, *Papilio polyxenes*, **Lep.** (*Papilionid.*)  
 „ fly, *Acidia heraclei*, **Dipt.** (*Trypetid.*)  
 „ leaf-tyer, *Phlyctaenia rubigalis (ferrugalis)*, **Lep.** (*Pyral.*)  
 „ looper, *Plusia simplex*, **Lep.** (*Noctuid.*)  
 cérése de Buffalo, *Ceresa bubalus*, **Hom.** (*Membrac.*)  
 chaff scale, *Parlatoria pergandei*, **Hom.** (*Coccid.*)  
 chain-spotted geometer, *Cingilia catenaria*, **Lep.** (*Geometr.*)  
 changa, *Scapteriscus didactylus*, **Orth.** (*Gryllotalp.*)  
 charançon à bosse rouge du pommier, *Oedemasia concinna*, **Lep.** (*Notodont.*)  
 „ de l'alfalfa, *Hypera murina*, **Col.** (*Curcul.*)  
 „ de la noisette, *Curculio elephas*, **Col.** (*Curculion.*)  
 „ de la pomme, *Trachypterus (Anthonomus) quadrigrabbus*, **Col.**  
 (*Curculion.*)  
 charançon de la rose, *Acanigus fulleri*, **Col.** (*Curcul.*)  
 „ de l'aubépine, *Conotrachelus crataegi*, **Col.** (*Curcul.*)  
 „ de la vigne, *Craponius inaequalis*, **Col.** (*Curcul.*)  
 „ des greniers, *Calandra granaria*, **Col.** (*Curcul.*)  
 „ du fraisier, *Anthonomus signatus*, **Col.** (*Curcul.*)

- charançon du riz, *Calandra oryza*, **Col.** (*Curcul.*)  
 " noir de la vigne, *Otiorrhynchus sulcatus*, **Col.** (*Curcul.*)  
 charlock weevil, *Cryptorrhynchus contractus*, **Col.** (*Curcul.*)  
 cheese mite, *Tyroglyphus siro*, **Acar.** (*Tyroglyph.*)  
 cheese (or ham) skipper, *Piophilæ casei*, **Dipt.** (*Sepsid.*)  
 chenille à besace, *Thyridopteryx ephemeraeformis*, **Lep.** (*Psychid.*)  
 " à toile d'automne, *Hyphantria cunea*, **Lep.** (*Arctid.*)  
 " du chou, *Pieris rapae*, **Lep.** (*Pierid.*)  
 " du melon, *Diaphania hyalinata*, **Lep.** (*Pyralid.*)  
 " porte case du pommier, *Coleophora fletcherella*, **Lep.** (*Elachist.*)  
 " zébrée, *Mamestra picta*, **Lep.** (*Noctuid.*)  
 cherry aphid (plant-louse), *Myzus cerasi*, **Hom.** (*Aphid.*)  
 " borer, *Maroga (Cryptophaga) unipunctana*, **Col.** (*Cryptophag.*)  
 " -bug, *Scutiphora (Peltophora) pedicellata*, **Het.** (*Pentatom.*)  
 " fruit-flies, *Rhagoletis cingulata*, *Rh. fausta* **Dipt.** (*Trypet.*)  
 " -fruit maggot, *Rhagoletis cingulata*, **Dipt.** (*Trypet.*)  
 " -fruit moth, *Argyresthia nitidella*, **Lep.** (*Hyponom.*)  
 " fruit sawfly, *Hoplocampa cookei*, **Hym.** (*Tenthred.*)  
 " leaf-beetle, *Galerucella cavicollis*, **Col.** (*Chrysom.*)  
 " leaf-roller, *Cacoecia cerasivorana*, **Lep.** (*Tortic.*)  
 " scale, *Aspidiotus forbesi*, **Hom.** (*Coccid.*)  
 " slug, *Selandria cerasi*, **Hym.** (*Tenthred.*)  
 " spinner, *Biston hortarius*, **Lep.** (*Geometr.*)  
 " -tree borer, *Dicerca divaricata*, **Col.** (*Buprestid.*)  
 " tree case-bearer, *Coleophora anatipennella*, **Lep.** (*Elachist.*)  
 " -tree tortrix, *Lozotaenia (Archips) cerasivorana*, **Lep.** (*Tortic.*)  
 " wood borer, *Maroga unipunctana*, **Col.** (*Cryptophag.*)  
 chestnut weevil, *Balaninus rectus* & *Curculio elephas*, **Col.** (*Curcul.*)  
 " worm (weevil), *Balaninus caryatrypes*, **Col.** (*Curcul.*)  
 chicken dermanyssus, *Dermanyssus gallinae*, **Acar.** (*Gamasid.*)  
 chickweed geometer, *Haematopsis grataria*, **Lep.** (*Geometr.*)  
 chigger, *Leptus irritans*, **Acar.** (*Tetranych.*)  
 chinch-bug, *Blissus leucopterus*, **Het.** (*Lygaeid.*)  
 chinese white-wax scale, *Ericerus pela*, **Hom.** (*Coccid.*)  
 „chin“ fly, *Gastrophilus nasalis*, **Dipt.** (*Oestrid.*)  
 chrysanthemum fly, *Eristalis tenax*, **Dipt.** (*Syrphid.*)  
 " gall midge, *Phytomyza chrysanthemi*, **Dipt.** (*Agromyz.*)  
 " midge, *Diarthronomya hypogaea*, **Dipt.** (*Cecidom.*)  
 chrysomele de la pomme de terre, *Leptinotarsa decemlineata*, **Col.** (*Chrysom.*)  
 " du concombre, *Diabrotica vittata*, **Col.** (*Coccinell.*)  
 " de la feuille de haricot, *Cerotoma trifurcata*, **Col.** (*Chrysomel.*)  
 cicada, net-winged, *Platypedia areolata*, **Hom.** (*Cicadid.*)

- cicadelle de la betterave, *Eutettix tenella*, **Hom.** (*Jassid.*)  
 „ de la vigne, *Typhlocyba comes*, **Hom.** (*Jassid.*)  
 „ du pommier, *Empoasca mali*, **Hom.** (*Jassid.*)  
 cigar case-bearer, *Colcophora fletcherella*, **Lep.** (*Elachist.*)  
 cigarette beetle, *Lasioderma testaceum* (*serricornis*), **Col.** (*Ptinid.*)  
 cigareuse à bande oblique, *Archips rosaceana*, **Lep.** (*Tortric.*)  
 cigarier, *Bytiscus betulae*, **Col.** (*Curcul.*)  
 circular scale (c. black scale), *Chrysomphalus ficus*, **Hom.** (*Coccid.*)  
 citricola scale, *Coccus citricola*, **Hom.** (*Coccid.*)  
 citrophilous mealybug, *Pseudococcus gahani*, **Hom.** (*Coccid.*)  
 citrus black fly, *Aleurocanthus woglumi*, **Hom.** (*Aleurod.*)  
 „ leafminer, *Phyllocnistis citrella* **Lep.** (*Tineid.*)  
 „ mealybug, *Pseudococcus citri*, **Hom.** (*Coccid.*)  
 (& *Aleurocanthus woglumi*) **Hom.** (*Aleurod.*)  
 „ mite, *Paratetranychus pilosus*, **Acar.** (*Tetranych.*)  
 „ orange bug, *Oncoscelis sulciventris*, **Het.** (*Pentat.*)  
 „ psylla, *Trioza mervei*, **Hom.** (*Psyllid.*)  
 „ red scale, *Chrysomphalus aurantii*, **Hom.** (*Coccid.*)  
 „ red spider, *Paratetranychus pilosus*, **Acar.** (*Tetranych.*)  
 citrus scale, *Pseudococcus citri*, **Hom.** (*Coccid.*)  
 „ thrips, *Scirtothrips citri*, **Thys.** (*Thripid.*)  
 clay-backed cutworm, *Agrotis gladiaria*, **Lep.** (*Noctuid.*)  
 „ -coloured billbug, *Sphenophorus aequalis*, **Col.** (*Curcul.*)  
 clear-winged locust, *Cannula atrox*, **Orth.** (*Oedipod.*)  
 climbing cutworm, *Euxoa scandens*, **Lep.** (*Noctuid.*)  
 clouded pigweed bug, *Sphragisticus nebulosus*, **Het.** (*Lygaeid.*)  
 cloudless sulphur, *Callidryas eubule*, **Lep.** (*Pieridae*)  
 clover aphid, *Amuraphis bakeri*, **Hom.** (*Aphid.*)  
 „ cutworm, *Mamestra trifolii*, **Lep.** (*Noctuid.*)  
 „ -flower midge, *Dasyneura* (*Cecidomyia*) *leguminicola*, **Dipt.** (*Cecid.*)  
 „ -hay worm, *Hypsopygia* (*Asopia*) *costalis*, **Lep.** (*Pyralid.*)  
 „ -leaf midge, *Cecidomyia trifolii*, **Dipt.** (*Cecidom.*)  
 „ leaf-tyer, *Ancyliis angulifasciana*, **Lep.** (*Tortric.*)  
 „ leaf weevil, *Hypera* (*Phytonomus*) *punctata*, **Col.** (*Curcul.*)  
 „ mamestra, *Mamestra trifolii*, **Lep.** (*Noctuid.*)  
 „ mite, *Bryobia praetiosa* (*pratensis*), **Acar.** (*Tetranych.*)  
 „ plant-louse, *Macrosiphum trifolii*, **Hom.** (*Aphid.*)  
 „ red midge, *Dasyneura leguminicola*, **Dipt.** (*Cecidomyid.*)  
 „ -root borer, *Hylastes trifolii* (*obscurus*) **Col.** (*Ipid.*)  
 „ -root curculio, *Sitona hispidulus*, **Col.** (*Curcul.*)  
 „ -root mealybug, *Pseudococcus trifolii*, **Hom.** (*Coccid.*)  
 „ -seed caterpillar, *Grapholitha interstinctana*, **Lep.** (*Tortric.*)

- clover - seed chalcid (chalcis fly), *Bruchophagus funebris*, **Hym.** (*Chalcid.*)  
 " " midge, *Dasyneura leguminicola*, **Dipt.** (*Cecidom.*)  
 " " worm, *Encarmonia interstinctana*, **Lep.** (*Tortric.*)  
 " stem-borer, *Languria mozardi*, **Col.** (*Erotylid.*)  
 " weevil, *Hypera punctata*, **Col.** (*Curcul.*)  
 " worm, green, *Plathypena scabra*, **Lep.** (*Noctuid.*)  
 cluster fly, *Pollenia rudis*, **Dipt.** (*Calliphor.*)  
 coccinelle boréale, *Epitachna borealis*, **Col.** (*Coccinell.*)  
 cochineal insect, *Dactylopius coccus*, **Hom.** (*Coccid.*)  
 cocklebur billbug, *Rhodobaenus 13-punctatus*, **Col.** (*Curcul.*)  
 cockscomb elm-leaf gall, *Colopha ulmicola*, **Hom.** (*Aphid.*)  
 cocoa-nut and guava mealy wing, *Aleurodicus cocois*, **Hom.** (*Aleurod.*)  
 coconut beetle, *Oryctes spp.*, **Col.** (*Scarabaeid.*)  
 " caterpillar { *Nephantis serinopa*, **Lep.** (*Xyloryctid.*)  
                   { *Brassolis sophorae*, **Lep.** (*Brassolid.*)  
 " leaf miner, *Promecotheca cunningii* u. *reichii*, **Col.** (*Chrysomel.*)  
 " leaf moth, *Levuana iridescens*, **Lep.** (*Zygaenid.*)  
 " mealybug, *Pseudococcus nipue*, **Hom.** (*Coccid.*)  
 " palm scale, *Aspidiotus perseae*, **Hom.** (*Coccid.*)  
 " scale, *Aspidiotus destructor*, **Hom.** (*Coccid.*)  
 " white fly, *Aleurodicus destructor*, **Hom.** (*Aleurod.*)  
 codling-moth, *Carpocapsa (Cydia) pomonella*, **Lep.** (*Tortric.*)  
 coffee-bean weevil, *Araecerus fasciculatus*, **Col.** (*Anthribid.*)  
 " beetle, *Xyleborus coffeae*, **Col.** (*Scolytid.*)  
 " berry beetle borer, *Stephanoderes coffeae (hampei)*, **Col.** (*Ipid.*)  
 " leaf miner, *Leucoptera coffeella*, **Lep.** (*Lyonet.*)  
 " red spider, *Tetranychus bioculatus*, **Acar.** (*Tetranych.*)  
 " weevil, *Lachnopus coffeae*, **Col.** (*Curcul.*)  
 Colorado corn root-worm, *Diabrotica virgifer*, **Col.** (*Chrysomel.*)  
 " potato-beetle, *Leptinotursa decemlineata*, **Col.** (*Chrysom.*)  
 Columbia silkmoth, *Sania columbia*, **Lep.** (*Saturnid.*)  
 columbine leaf miner, *Phytomyza aquilegiae*, **Dipt.** (*Agromyz.*)  
 comma butterfly, *Polygonia comma*, **Lep.** (*Nymphal.*)  
 commelina owleth moth, *Prodenia commelinae*, **Lep.** (*Noctuid.*)  
 common army worm, *Heliophila unipuncta*, **Lep.** (*Noctuid.*)  
 " asparagus beetle, *Crioceris asparagi*, **Col.** (*Chrysomel.*)  
 " bagworm, *Thyridopteryx epheneraeformis*, **Lep.** (*Psychid.*)  
 " bean weevil, *Bruchus obtectus*, **Col.** (*Bruchid.*)  
 " cabbage looper, *Plusia (Autographa) brassicae*, **Lep.** (*Noctuid.*)  
 " " worm, *Pieris rapae*, **Lep.** (*Pierid.*)  
 " field-cricket, *Gryllus abbreviatus (assimilis)*, **Orth.** (*Gryllid.*)  
 " green corn aphid, *Aphis maidis*, **Hom.** (*Aphid.*)

- common hickory twig girdler, *Oncideres vingulata*, **Col.** (*Cerambyc.*)  
 „ mealy bug, *Pseudococcus citri*, **Hom.** (*Coccid.*)  
 „ plant louse, *Aphis rumicis*, **Hom.** (*Aphid.*)  
 „ red spider, *Tetranychus bimaculatus (telarius)* **Acar.** (*Tetranych.*)  
 „ squash bug, *Anasa tristis*, **Het.** (*Coreid.*)  
 „ stalk borer, *Papaipema nebris*, **Lep.** (*Noctuid.*)  
 „ sugar-cane leafhopper, *Kolla similis*, **Hom.** (*Jassid.*)  
 „ wireworm, *Melanotus communis*, **Col.** (*Elaterid.*)  
 Comyntas butterfly, *Everes comyntas*, **Lep.** (*Lycaenid.*)  
 conchuela, *Pentatoma ligata*, **Het.** (*Pentatomid.*)  
 cone-headed locust, *Conocephalus obtusus*, **Orth.** (*Conocephalid.*)  
 cone-nose, *Conorrhinus sanguisugus*, **Het.** (*Reduviid.*)  
 confused flour-beetle, *Tribolium confusum*, **Col.** (*Tenebrion.*)  
 „ wireworm, *Limoniis confusus*, **Col.** (*Elaterid.*)  
 coniferous sawfly, *Diprion simile*, **Hym.** (*Tenthred.*)  
 + conifer spinning mite, *Paratetranychus unguis*, **Acar.** (*Tetranych.*)  
 convex flea-beetle, *Psylliodes convexior*, **Col.** (*Chrysomel.*)  
 coquerelle des caves, *Periplaneta americana*, **Orth.** (*Blattid.*)  
 coquette, *Zeuzera aesculi*, **Lep.** (*Cossid.*)  
 cordyline scale, *Leucaspis cordylinidis*, **Hom.** (*Coccid.*)  
 corn and cotton wireworm, *Horistonotus uhlerii*, **Col.** (*Elaterid.*)  
 „ aphid, *Aphis maidis*, **Hom.** (*Aphid.*)  
 „ billbug, *Sphenophorus maidis*, **Col.** (*Curculion.*)  
 „ „ southern, *Sphenophorus callosus*, **Col.** (*Curcul.*)  
 „ borer, european, *Pyrausta nubilalis*, **Lep.** (*Pyralid.*)  
 „ crambus, *Crambus caliginosellus*, **Lep.** (*Pyralid.*)  
 „ delphacid, *Delphax maidis*, **Hom.** (*Fulgorid.*)  
 „ -ear worm, *Heliothis obsoleta (armigera)*, **Lep.** (*Noctuid.*)  
 „ -feeding syrphus-fly, *Mesographa polita*, **Dipt.** (*Syrphid.*)  
 „ flea-beetle, *Chaetocnema ectypa*, **Col.** (*Chrysomel.*)  
 „ leaf aphid, *Aphis maidis*, **Hom.** (*Aphid.*)  
 „ leafhopper, *Peregrinus maidis*, **Hom.** (*Fulgorid.*)  
 „ leaf-tier, *Lerema accius*, **Lep.** (*Hesperid.*)  
 „ root-aphid, *Aphis maidi-radicis*, **Hom.** (*Aphid.*)  
 „ „ webworm, *Crambus zeellus*, **Lep.** (*Pyralid.*)  
 „ „ worm, *Diabrotica spp.*, **Col.** (*Chrysomel.*)  
 „ sap-beetle, *Carpophilus palipennis*, **Col.** (*Nitidul.*)  
 „ sawfly, *Cephus pygmaeus*, **Hym.** (*Lydidae.*)  
 „ stalk-borer, *Diatraea saccharalis*, **Lep.** (*Pyralid.*)  
 „ „ „ larger, *Diatraea zeacolella*, **Lep.** (*Pyralid.*)  
 „ -stalk maggot, *Chaetopsis aenea*, **Dipt.** (*Ortalid.*)  
 „ wireworm, *Melanotus cribulosus (communis)*, **Col.** (*Elaterid.*)

- corueo, *Acanthia inodora*, **Het.** (*Acanthiad.*)  
 cosmopolitan ambrosia beetle, *Xyleborus saevus*, **Col.** (*Ipid.*)  
 „ tea and olive scale, *Fiorinia theae*, **Hom.** (*Coccid.*)  
 cotton aphid, *Aphis gossypii*, **Hom.** (*Aphid.*)  
 „ blister mite, *Eriophyes gossypii*, **Acar.** (*Eriophyid.*)  
 „ boll cutworm, *Prodenia ornithogalli*, **Lep.** (*Noctuid.*)  
 „ bollworm, *Heliothis armigera* (*Chloridea obsoleta*), **Lep.** (*Noctuid.*)  
 „ „ (spiny), *Earias insulana* & *fabia*, **Lep.** (*Noctuid.*)  
 „ boll weevil, *Anthonomus grandis*, **Col.** (*Curcul.*)  
 „ bug, *Oncopeltus quadriguttatus* (*sordidus*), **Lep.** (*Lygaeid.*)  
 „ cutworm, *Agrotis annexa*, **Lep.** (*Noctuid.*)  
 „ flea, *Psallus delicatus*, **Het.** (*Capsid.*)  
 „ flower but maggot, *Contarinia gossypii*, **Dipt.** (*Cecidom.*)  
 „ leaf bug, *Calocoris rapidus*, **Het.** (*Capsid.*)  
 „ leaf caterpillar, *Anomis* (*Cosmophila*) *erosa*, **Lep.** (*Noctuid.*)  
 „ leafroller, *Sylepta derogata*, **Lep.** (*Pyralid.*)  
 „ leaf worm, *Alabama argillacea*, **Lep.** (*Noctuid.*)  
 „ pink bollworm, *Platyedra* (*Pectinophora*) *gossypiella*, **Lep.** (*Gelechiid.*)  
 „ root aphid, *Aphis maidi-radicis*, **Hom.** (*Aphid.*)  
 „ snout-moth, *Platynota sentana*, **Lep.** (*Tortricid.*)  
 „ stainer, *Dysdercus suturellus* et al., **Het.** (*Pyrrhoror.*)  
 „ stem weevil, *Pempherus affinis*, **Col.** (*Curcul.*)  
 „ thrips, *Heliothrips indicus*, **Thys.** (*Thripid.*)  
 „ worm, *Alabama* (*Aletia*) *argillacea*, **Lep.** (*Noctuid.*)  
 „ worm tachina fly, *Frontina aletiae*, **Dipt.** (*Tachinid.*)  
 cottonwood borer, *Plectrodera scalator*, **Col.** (*Cerambyc.*)  
 „ crown borer, *Pennisetia* (*Bembecia*) *tibicalis*, **Lep.** (*Sesiid.*)  
 „ leaf-beetle, *Linu scripta*, **Col.** (*Chrysomel.*)  
 „ leaf miner, *Proleucoptera albella*, **Lep.** (*Tineid.*)  
 „ scale, *Chionaspis ortholobis*, **Hom.** (*Coccid.*)  
 cottony cushion-scale, *Icerya purchasi*, **Hom.** (*Coccid.*)  
 „ maple-scale, *Pulvinaria innumerabilis* (*vitis*), **Hom.** (*Coccid.*)  
 coulee cricket, *Peranabrus scabricollis*, **Orth.** (*Decticin.*)  
 cow horn-fly, *Haematobia serrata*, **Dipt.** (*Muscid.*)  
 cowpea bruchid., *Spermophagus pectoralis*, **Col.** (*Bruchid.*)  
 „ curculio, *Chalcodermus aeneus*, **Col.** (*Curcul.*)  
 „ weevil, *Pachymerus chinensis*, **Col.** (*Bruchid.*)  
 crab louse, *Phthirus inguinalis*, **Anopl.** (*Pedicul.*)  
 cranberry blossom worm, *Epiglaea apiata*, **Lep.** (*Noctuid.*)  
 „ fireworm, *Rhopobota* (*Eudemis*) *vacciniana*, **Lep.** (*Tortric.*)  
 „ fruit-worm, *Mineola vaccinii*, **Lep.** (*Pyralid.*)  
 „ fulgorid, *Phylloscelis atra*, **Hom.** (*Fulgorid.*)

- cranberry gall-fly, *Cecidomyia oxycoccana*, **Dipt.** (*Cecidom.*)  
 „ girdler, *Crambus hortuellus* (*topiarius*), **Lep.** (*Pyralid.*)  
 „ katydid, *Scudderia texensis*, **Orth.** (*Phaneropt.*)  
 „ looper, *Xanthotype crocataria*, **Lep.** (*Geometr.*)  
 „ scale, *Aspidiotus uncyus*, **Hom.** (*Coccid.*)  
 „ spanworm, *Cleora pampinaria*, **Lep.** (*Geometr.*)  
 cricket marocain, *Stauronotus maroccanus*, **Orth.** (*Tryxal.*)  
 criocère de l'asperge, *Crioceris asparagi* u. *duodecim-punct.*, **Col.** (*Chrysom.*)  
 cross-striped cabbage worm, *Evergestis rimosalis*, **Lep.** (*Pyralid.*)  
 eroton bug, *Blattella germanica*, **Orth.** (*Blattid.*)  
 crow blister-beetle, *Epicauta corvina*, **Col.** (*Meloid.*)  
 crown borer, loganberry-, raspberry-, *Bembevia marginata*, **Lep.** (*Sesiid.*)  
 cucumber beetle, *Diabrotica vittata*, **Col.** (*Chrysomel.*)  
 „ flea-beetle, *Epitrix cucumeris*, **Col.** (*Chrysomel.*)  
 „ worm, *Diaphania nitidalis*, **Lep.** (*Pyralid.*)  
 cucurbit fruit fly, *Dacus cucurbitae*, **Dipt.** (*Trypetid.*)  
 cup moth, *Doratifera vulnerans*, **Lep.** (*Cochlidid.*)  
 cypress twig gall, *Thecodiplosis ananassi*, **Dipt.** (*Cecidom.*)  
 curled rose slug, *Emphytus cinctus*, **Hym.** (*Tenthred.*)  
 currant and gooseberry sawfly, *Pteronus ribesii*, **Hym.** (*Tenthred.*)  
 „ aphid (plant louse), *Myzus* (*Aphis*) *ribis*, **Hom.** (*Aphid.*)  
 „ borer, *Aegeria* (*Sesia*) *tipuliformis*, **Lep.** (*Sesiid.*)  
 „ clearwing moth, *Aegeria* (*Sesia*) *tipuliformis*, **Lep.** (*Sesiid.*)  
 „ fruit fly, *Epochra canadensis*, **Dipt.** (*Trypet.*)  
 „ „ moth, *Notocelia roborana*, **Lep.** (*Tortric.*)  
 „ gall mite, *Eriophyes ribis*, **Acar.** (*Eriophyid.*)  
 „ scale, *Eulecanium ribis*, **Hom.** (*Coccid.*)  
 „ span-worm, *Thamnonoma ribearia*, **Lep.** (*Geometr.*)  
 „ shot borer, *Incurvaria capitella*, **Lep.** (*Tineid.*)  
 „ stem-girdler, { *Phyllocus* (*Janus*) *flaviventris*, **Hym.** (*Lydid.*)  
                           { *Janus* (*Cephus*) *integer*, **Hym.** (*Lydid.*)  
 „ webworm, *Thamnonoma wanaria*, **Lep.** (*Geometr.*)  
 „ worm, *Pteronus* (*Nematus*) *ribesii*, **Hym.** (*Tenthred.*)  
 custard-apple caterpillar, *Anonaepestis bengalella*, **Lep.** (*Phycitid.*)  
 cutworm, pale western, *Porosagrotis orthogenia*, **Lep.** (*Noctuid.*)  
 „ variegated, *Locophotia margaritosa*, **Lep.** (*Noctuid.*)  
 cynthia silkworm, *Philosamia cynthia*, **Lep.** (*Saturnid.*)  
 cypress twig borer, *Argyresthia cupressella*, **Lep.** (*Hymenomet.*)  
 dark currant fruit-fly, *Rhagoletis ribicola*, **Dip.** (*Trypet.*)  
 „ green fritillary butterfly, *Argynnis aglaia*, **Lep.** (*Nymphal.*)  
 „ meal-worm, *Tenebrio obscurum*, **Col.** (*Tenebr.*)  
 „ sided cutworm, *Euxoa messoria*, **Lep.** (*Noctuid.*)



- date palm scale, *Parlatoria blanchardi*, **Hom.** (Coccid.)  
 deaths head, *Acherontia atropos*, **Lep.** (Sphingid.)  
 Deccan grasshopper, *Colemania sphenarioides*, **Orth.** (Acrid.)  
 demideuil, *Arge galathea*, **Lep.** (Satyrid.)  
 depressed flour-beetle, *Palorus subdepressus*, **Col.** (Tenebr.)  
 dermestre du lard, *Dermestes lardarius*, **Col.** (Dermestid.)  
 desert corn flea-beetle, *Chaetocnema ectypa*, **Col.** (Chrysomel.)  
 destructive leaf-hopper, *Cicadula exitiosa*, **Hom.** (Jassid.)  
     "    mealy-bug, *Pseudococcus citri*, **Hom.** (Coccid.)  
     "    pea louse, *Nectaraphora destructor*, **Hom.** (Aphid.)  
 devastating locust, *Melanoplus devastator*, **Orth.** (Acridiid.)  
 diamond-back moth, *Plutella maculipennis*, **Lep.** (Plutellid.)  
 differential-locust, *Melanoplus devastator*, **Orth.** (Acridiid.)  
 dingy cutworm, *Feltia subgothica*, **Lep.** (Noctuid.)  
 distended May beetle, *Lachnosterna farcta*, **Col.** (Scarabueid.)  
 dock false worm, *Ametastegia glabrata*, **Hym.** (Tenthred.)  
 dog-day harvest fly, *Tibicina septendecim*, **Hom.** (Jassid.)  
 dog-wood sawfly, *Harpiphorus varians*, **Hym.** (Tentred.)  
     "    "    twig borer, *Oberea tripunctata*, **Col.** (Cerambyc.)  
 douglas fir bark beetle, *Dendroctonus pseudotsugae*, **Col.** (Ipid.)  
     "    fir pitch moth, *Sesia novaroensis*, **Lep.** (Sesiid.)  
     "    "    seed fly, *Megastigmus spermatotrophus*, **Hym.** (Chalcid.)  
 dried-apple beetle, *Doticus pestilens*, **Col.** (Anthrib.)  
     "    -currant moth, *Ephestia cautella*, **Lep.** (Pyralid.)  
 drug-store beetle, *Sitodrepa panicea*, **Col.** (Ptinid.)  
 durra stem borer, *Sesamiu cretica*, **Lep.** (Noctuid.)  
 dusky plant bug, *Calocoris rapidus*, **Het.** (Capsid.)  
 early moth, *Hibernia rupicaprarua*, **Lep.** (Geometr.)  
 earth crab, *Gryllotalpa vulgaris*, **Orth.** (Gryllotalp.)  
 earwig, *Forficula auricularia*, **Orth.** (Forficul.)  
 eastern field wireworm, *Limonius agonus*, **Col.** (Elaterid.)  
 eastern strawberry louse, *Myzus brevipilosus*, **Hom.** (Aphid.)  
 East Indian sugar-cane borer, *Chilo plejadellus*, **Lep.** (Pyralid.)  
 écrivain, *Bromius (Eumolpus) obscurus (vitis)*, **Col.** (Chrysomel.)  
 eggplant flea-beetle, *Epitrix fuscula*, **Col.** (Chrysomel.)  
     "    fruit borer, *Leucinodes orbonalis*, **Lep.** (Pyral.)  
     "    lace-bug, *Gargaphia solani*, **Het.** (Tingitid.)  
     "    tortoise beetle, *Cassida pallidula*, **Col.** (Cassid.)  
 eightdentated bark beetle, *Ips typographus*, **Col.** (Ipid.)  
 eight-spotted forester, *Alypia octomaculata*, **Lep.** (Agaristid.)  
 egyptian *Icerya*, *Icerya aegyptiaca*, **Hom.** (Coccid.)  
     "    mealy bug, *Icerya aegyptiaca*, **Hom.** (Coccid.)

- electric-light bug, *Belostoma americanum*, **Hom.** (*Belostomid.*)  
elephant corn bug, *Lixus mucidus*, **Col.** (*Curcul.*)  
" weevil, *Orthorhinus cylindrirostris*, **Col.** (*Curcul.*)  
elm bark louse, *Gossyparia ulmi*, **Hom.** (*Coccid.*)  
" -borer, *Saperda tridentata*, **Col.** (*Cerambyc.*)  
" caterpillar, *Vanessa anthiopa*, **Lep.** (*Nymphal.*)  
+ " leaf-beetle, *Galeruca luteola*, **Col.** (*Chrysomel.*)  
✓ " sawfly, *Fenusa do-rnii*, **Hym.** (*Tenthred.*)  
" span-worm, *Ennomos subsignarius*, **Lep.** (*Geometr.*)  
" tree white scale, *Chionaspis americana*, **Hom.** (*Coccid.*)  
" woolly aphid, *Eriosoma lanigerum*, **Hom.** (*Aphid.*)  
elongate flea-beetle, *Systema elongata*, **Col.** (*Chrysomel.*)  
english grain-louse, *Macrosiphum granarium*, **Hom.** (*Aphid.*)  
" walnut scale, *Aspidiotus juglans-regiae*, **Hom.** (*Coccid.*)  
Eri silkworm, *Attacus ricini*, **Lep.** (*Saturnid.*)  
ermine moths, *Hyponomeuta* spp., **Lep.** (*Hyponomeut.*)  
euonymus scale, *Chionaspis euonymi*, **Hom.** (*Coccid.*)  
european apple sucker, *Psyllia mali*, **Hom.** (*Psyllid.*)  
" bean-weevil, *Bruchus rufimanus*, **Col.** (*Bruchid.*)  
" cockchafer, *Melolontha vulgaris*, **Col.** (*Scarab.*)  
" corn borer, *Pyrausta nubilalis*, **Lep.** (*Pyralid.*)  
" earwig, *Forficula auricularia*, **Orth.** (*Forficul.*)  
" fruit lecanium, *Lecanium corni*, **Hom.** (*Coccid.*)  
" " scale, *Aspidiotus ostreaeformis*, **Hom.** (*Coccid.*)  
" grain-louse, *Siphocoryne avenae*, **Hom.** (*Aphid.*)  
" " -moth, *Tinea granella*, **Lep.** (*Tineid.*)  
" hop flea-beetle, *Psylliodes attenuata*, **Col.** (*Chrysom.*)  
" lackey moth, *Malacosoma neustria*, **Lep.** (*Lasiocamp.*)  
" leopard moth, *Zeuzera pyrina*, **Lep.** (*Sesiid.*)  
" pear scale, *Epidiaspis piricola*, **Hom.** (*Coccid.*)  
x " pine sawfly, *Diprion simile*, **Hym.** (*Tent' red.*)  
+ " pine-shoot moth, *Evetria buoliana*, **Lep.** (*Tortric.*)  
" red mite, *Paratetranychus pilosus*, **Acar.** (*Tetranych.*)  
" rose slug, *Eriocampoides (Caliroa) aethiops*, **Hym.** (*Tenthred.*)  
eye-spotted apple-twig borer, *Oberea ocellata*, **Col.** (*Cerambyc.*)  
" " bud-moth, *Tmetocera ocellana*, **Lep.** (*Tortric.*)  
fall armyworm, *Laphygma frugiperda*, **Lep.** (*Noctuid.*)  
+ " canker-worm, *Anisopterix (Alsophila) pomataria*, **Lep.** (*Geometr.*)  
x " webworm, *Hyphantria cunea*, **Lep.** (*Arctiid.*)  
false apple red-bug, *Lygidea mendax*, **Het.** (*Capsid.*)  
" army-worm, *Calocampa nuptera*, **Lep.** (*Noctuid.*)  
" bud-worm, *Heliothis obsoleta (armigera)*, **Lep.** (*Noctuid.*)

- false chinch bug, *Nysius ericae* (*angustatus*), **Het.** (*Lygaeid.*)  
 „ codling moth, *Argyroplote leucotreta*, **Lep.** (*Tortric.*)  
 „ red bug, *Lygidea mendax*, **Het.** (*Capsid.*)  
 „ tussock caterpillar, *Halisidota caryae*, **Lep.** (*Arctiid.*)  
 „ tarnished plant-bug, *Lygus inuitus*, **Het.** (*Capsid.*)  
 fausse chenille à tente du framboisier, *Pamphilius fletch<sup>eri</sup>*, **Hym.** (*Tenthred.*)  
 fern weevil, *Syagrius fulvitaris*, **Col.** (*Curcul.*)  
 fickle midge, *Sciara inconstans*, **Dipt.** (*Mycetophil.*)  
 fiery hunter, *Calosoma calidum*, **Col.** (*Carabid.*)  
 fig-branch borer, *Hylesinus porcatus*, **Col.** (*Ipid.*)  
 „ eater, *Allorrhina nitida*, **Col.** (*Scarabaeid.*)  
 „ moth, *Ephestia cautella*, **Lep.** (*Pyralid.*)  
 „ pyralid, *Polygrammodes hirtusalis*, **Lep.** (*Pyralid.*)  
 „ stem-boring beetle, *Sinoxylon sudanicum*, **Col.** (*Bostrych.*)  
 „ -tree borer, *Batocera boisduvali*, **Col.** (*Cerambyc.*)  
 „ weevil, *Omophorus stomachosus*, **Col.** (*Curcul.*)  
 Fiji lemon weevil, *Elytroteinus subtruncatus*, **Col.** (*Curcul.*)  
 X fir-needle beetle, *Polydrosus pilosus*, **Col.** (*Curcul.*)  
 X „ sawfly, *Lophyrus abietis*, **Hym.** (*Tenthred.*)  
 fire ant, *Solenopsis geminata*, **Hym.** (*Formicid.*)  
 „ bug, *Murgantia histrionica*, **Het.** (*Pentatom.*)  
 „ worm, { *Eudemis vacciniana*, **Lep.** (*Tortric.*)  
           { *Anisopterix vernata*, **Lep.** (*Geometr.*)  
 „ „ (cranberry), { *Rhopobota vacciniana*, **Lep.** (*Tortric.*)  
                       { *Peronea minuta*, **Lep.** (*Tortric.*)  
 five-spotted asparagus beetle, *Crioceris quinquepunctata*, **Col.** (*Chrysomel.*)  
 flat grain-beetle, *Luemophloeus pusillus*, **Col.** (*Cucujid.*)  
 „ -headed apple-tree borer, *Chrysobothris femorata*, **Col.** (*Buprestid.*)  
 „ „ leaf-miner beetle, *Aphanistichus consanguineus*, **Col.** (*Buprest.*)  
 „ „ pear borer, *Agrilus sinuatus*, **Col.** (*Buprestid.*)  
 „ „ wood borer, *Agrilus viridis*, **Col.** (*Buprestid.*)  
 flavescens clover-weevil, *Sitones flarescens*, **Col.** (*Curcul.*)  
 Florida flower thrips, *Frankliniella tritici bispinosa*, **Thys.** (*Thripid.*)  
 „ red scale, *Chrysomphalus aonidum*, **Hom.** (*Coccid.*)  
 „ wax-scale, *Ceroplastes floridensis*, **Hom.** (*Coccid.*)  
 flour weevil, *Tribolium confusum*, **Col.** (*Tenebrion.*)  
 flower thrips, *Frankliniella bispinosa* & *Fr. cephalica masoni*, **Thys.** (*Thrip.*)  
 fluted scale, *Icerya purchasi*, **Hom.** (*Coccid.*)  
 fodder worm, *Epizeuxis aemula*, **Lep.** (*Noctuid.*)  
 Forbes' scale, *Aspidiotus forbesi*, **Hom.** (*Coccid.*)  
 foreign grain-beetle, *Cathartus advena*, **Col.** (*Cucujid.*)  
 X forest tent-caterpillar, *Malacosoma disstria*, **Lep.** (*Lasiocamp.*)

- four-banded leaf-roller, *Eulia quadrifasciana*, **Lep.** (*Tortric.*)  
four-lined plant-bug (leaf-bug), *Poecilocapsus lineatus*, **Het.** (*Capsid.*)  
four-marked leaf-beetle, *Cryptocephalus quadrimaculatus*, **Col.** (*Chrysom.*)  
four-spotted bean-weevil, *Bruchus quadrimaculatus*, **Col.** (*Bruchid.*)  
fourteen-spotted asparagus beetle, *Crioceris quatuordecimpunct.*, **Col.** (*Chrys.*)  
french bug, *Monoxia puncticollis*, **Col.** (*Chrysomel.*)  
fringed-wing apple bud-moth, *Holcocera maligenmella*, **Lep.** (*Tineid.*)  
frit fly, *Oscinella frit*, **Dipt.** (*Oscinid.*)  
fritillary butterfly, dark green, *Argynnis aglaia*, **Lep.** (*Nymphal.*)  
" " Glanville, *Melitaea cinxia*, **Lep.** (*Nymphal.*)  
" " small pearl border, *Melitaea athalia*, **Lep.** (*Nymphal.*)  
froghopper, *Tomaspis* spp., **Hom.** (*Cercopid.*)  
frosted lightning hopper, *Ormenis pruinosa*, **Hom.** (*Fulgorid.*)  
" scale, *Eulecanium prunosum*, **Hom.** (*Coccid.*)  
fruit beetle, *Carpophilus aterrimus*, **Col.** (*Nitidul.*)  
fruit or vinegar fly, *Drosophila ampelophila*, **Dipt.** (*Trypet.*)  
" moth, oriental, *Laspeyresia molesta*, **Lep.** (*Tortric.*)  
" -tree bark-beetle, *Scolytus rugulosus*, **Col.** (*Ipid.*)  
" " leafroller, *Archips* (*Tortrix*) *argyrospila*, **Lep.** (*Tortricid.*)  
X fuchsia beetle, *Graptodera exapta*, **Col.** (*Chrysomel.*)  
Fullers rose beetle, *Aramigus fulleri*, **Col.** (*Curculion.*)  
galerucelle du cerisier, *Galerucella cavicollis*, **Col.** (*Chrysomel.*)  
" du saule, *Phyllodecta vitellinae*, **Col.** (*Chrysom.*)  
gamma, *Vanessa C-album*, **Lep.** (*Nymphalid.*)  
garden chafer, *Phyllopertha horticola*, **Col.** (*Scarabaeid.*)  
" flea-hopper, *Halticus uhleri*, *H. citri*, **Het.** (*Capsid.*)  
" springtail, *Sminthurus hortensis*, **Apter.** (*Sminth.*)  
" webworm, *Phlyctenodes* (*Loxostege*) *semilalis*, **Lep.** (*Pyralid.*)  
gastrophile du cheval, *Gastrophilus equi*, **Dipt.** (*Oestrid.*)  
gâte-bois, *Cossus ligniperda*, **Lep.** (*Cossid.*)  
gele (top-) boorder, *Chilo infuscatellus*, **Lep.** (*Pyralid.*)  
german grain-louse, *Macrosiphum cerealis*, **Hom.** (*Aphid.*)  
gestreepte boorder, *Diatraea striatalis*, **Lep.** (*Pyralid.*)  
giant indian silkworm, *Attacus atlas*, **Lep.** (*Saturnid.*)  
" sugar-cane borer, *Castnia bicus*, **Lep.** (*Castniid.*)  
" willow aphid, *Lachnus viminalis*, **Hom.** (*Aphid.*)  
gibbous June-beetle, *Lachnosterna gibbosa*, **Col.** (*Scarabaeid.*)  
gipsy moth, *Porthetria dispar*, **Lep.** (*Lymantriid.*)  
girdle worm (cranberry), *Crambus hortuellus*, **Lep.** (*Pyralid.*)  
glasshouse tomato moth, *Hadena* (*Polia*) *oleracea*, **Lep.** (*Noctuid.*)  
glassy cutworm, *Hadena devastatrix*, **Lep.** (*Noctuid.*)  
" -winged sharpshooter, *Homalodisca coagulata*, **Hom.** (*Jassid.*)

- glassy-winged soldier bug, *Hyaliodes vitripennis*, **Het.** (*Mirid.*)  
 gloomy scale, *Chrysomphalus tenebrius*, **Hom.** (*Coccid.*)  
 Glover's scale, *Lepidosaphes gloveri*, **Hom.** (*Coccid.*)  
 goat louse, *Trichodectes limbatus*, **Mall.** (*Trichodectid.*)  
 „ moth, *Cossus cossus (ligniperda)* **Lep.** (*Cossid.*)  
 golden oak scale, *Asterodiaspis quercicola*, **Hom.** (*Coccid.*)  
 „ tortoise beetle, *Coptocycla bicolor*, **Col.** (*Cassid.*)  
 gooseberry fruit-worm, *Zophodia grossulariae*, **Lep.** (*Pyralid.*)  
 „ midge, *Dasyneura grossulariae*, **Dipt.** (*Cecidom.*)  
 „ sawfly, { *Nematus (Pteronius) ribesii*, } **Hym.** (*Tenthred.*)  
 „ { *Pristiphora pallipes*, }  
 „ spanworm, *Cymatophora ribearia*, **Lep.** (*Geometr.*)  
 grain aphid, *Siphonophora avenae (Nectarophora granaria)*, **Hom.** (*Aphid.*)  
 „ gall midge, *Contarinia tritici*, **Dipt.** (*Cecidomyid.*)  
 „ leaf-hopper, *Diedrocephalus flaviceps*, **Hom.** (*Jassid.*)  
 „ moth, *Sitotroga cerealella*, **Lep.** (*Tineid.*)  
 „ plant louse, *Siphonophora granaria*, **Hom.** (*Aphid.*)  
 „ toxoptera, *Toxoptera graminum*, **Hom.** (*Aphid.*)  
 granary weevil, *Calandra granaria*, **Col.** (*Curculion.*)  
 grand surprise, *Vanessa antiopa*, **Lep.** (*Nymphal.*)  
 granulated cutworm, *Feltia annexa*, **Lep.** (*Noctuid.*)  
 grape-berry moth, *Polychrosis viteana*, **Lep.** (*Tortric.*)  
 „ blister mite, *Eriophyes vitis*, **Acar.** (*Eriophyid.*)  
 „ -blossom midge, *Contarinia johnsoni*, **Dipt.** (*Cecidom.*)  
 „ cane-borer, *Amphicerus bicaudatus*, **Col.** (*Bostrych.*)  
 „ „ gall-maker, *Ampelogypter sesostris*, **Col.** (*Curcul.*)  
 „ „ girdler, *Ampelogypter ater*, **Col.** (*Curcul.*)  
 „ colaspis, *Colaspis brunnea*, **Col.** (*Chrysomel.*)  
 „ curculio, *Craponius inaequalis*, **Col.** (*Curculion.*)  
 „ flea-beetle, *Haltica chalybea*, **Col.** (*Chrysomel.*)  
 „ fruit-moth, *Polychrosis botrana*, **Lep.** (*Tortricid.*)  
 „ leaf-folder, *Desmia funerata*, **Lep.** (*Pyralid.*)  
 „ leaf-hopper, *Typhlocyba (Erythroneura) comes (triciucta)* **Hom.**  
 (*Jassid.*)  
 „ leaf skeletonizer, *Harrisina brilliana*, **Lep.** (*Pyromorphid.*)  
 „ mealybug, *Pseudococcus bakeri (maritimus)*, **Hom.** (*Coccid.*)  
 „ phylloxera, *Phylloxera vastatrix*, **Hom.** (*Aphid.*)  
 „ plume-moth, *Oxyptilus periscelidactylus*, **Lep.** (*Pterophorid.*)  
 „ -root prionus, *Prionus imbricornis*, **Col.** (*Cerambyc.*)  
 „ root-worm, *Fidia viticida*, **Col.** (*Chrysom.*)  
 „ „ „ California, *Bromius obscurus*, **Col.** (*Chrysom.*)  
 „ „ weevil, *Brachyrhinus sulcatus*, **Col.** (*Curcul.*)

- grape sawfly, *Selandria vitis*, Hym. (Tenthred.)  
 " scale, *Aspidiotus uvae*, Hom. (Coccid.)  
 " -seed chalcis, *Evocyxoma vitis*, Hym. (Chalcid.)  
 " seed-weevil, *Craponius inaequalis*, Col. (Curcul.)  
 " seed worm, *Isosoma vitis*, Hym. (Chalcid.)  
 " -vine aphid, *Macrosiphum illinoiensis*, Hom. (Aphid.)  
 " " colaspis, *Colaspis brunnea*, Col. (Chrysomel.)  
 " " fidia, *Fidia longipes*, Col. (Chrysomel.)  
 " " hog-caterpillar, *Ampelophaga myron*, Lep. (Sphingid.)  
 grapevine looper, *Lygris diversilineata*, Lep. (Geometr.)  
 " plume-moth, *Oxyptilus periscelidactylus*, Lep. (Pterophorid.)  
 " root-borer, *Memythrus polistiformis*, Lep. (Sesiid.)  
 " sawfly, *Erythraspides (Blennocampa) pygmaea*, Hym. (Tenthred.)  
 grass moth, *Remigia repanda*, Lep. (Noctuid.)  
 " sawfly, *Pachynematus extensicornis*, Hym. (Tenthred.)  
 " thrips, *Anaphothrips striatus*, Thys. (Thripid.)  
 " worm, *Leucania (Cirphis) unipuncta*, Lep. (Noctuid.)  
 gray blister-beetle, *Epicauta cinerea*, Col. (Meloid.)  
 " borer of the sugar cane, *Laspeyresia schistoceana*, Lep. (Tortric.)  
 " hair-streak (butterfly), *Uranotes melinus*, Lep. (Lycaenid.)  
 " larch moth, *Enarmonia pinicolana*, Lep. (Tortric.)  
 " scale, *Coccus citricola*, Hom. (Coccid.)  
 " -striped green-head, *Tabanus lineola*, Dipt. (Tabanid.)  
 greasy cutworm, *Agrotis ypsilon*, Lep. (Noctuid.)  
 great leopard-moth, *Ecpantheria deflorata*, Lep. (Arctiid.)  
 " plain cricket, *Anabrus simplex*, Orth. (Decticin.)  
 greater sugar-beet leaf-beetle, *Monoxia puncticollis*, Col. (Chrysomel.)  
 " wheat-straw-worm, *Isosoma grande*, Hym. (Chalcid.)  
 " wheat-stem maggot, *Meromyza americana*, Dipt. (Oscinid.)  
 greedy scale, *Aspidiotus rapax (camelliae)*, Hom. (Coccid.)  
 green apple aphid, *Aphis pomi*, Hom. (Aphid.)  
 " " bug, *Lygus communis var. novascotiensis*, Het. (Capsid.)  
 " bottle fly, *Lucilia caesar*, Dipt. (Muscid.)  
 " bug, *Toxoptera graminum*, Hom. (Aphid.)  
 " clover worm, *Plathypena scabra*, Lep. (Noctuid.)  
 " coffee bug, *Coccus (Lecanium) viridis*, Hom. (Aphid.)  
 " currant worm, *Gymnonychus appendiculatus*, Hym. (Tenthred.)  
 " fruit worms, { *Graphiphora alia*, Lep. (Noctuid.)  
                   { *Xylina antennata*, *X. laticinerea*, *X. grotei*, Lep. (Noctuid.)  
 " hanging moth of the apple, *Charagia lignivora*, Lep. (Hepialid.)  
 " japanese beetle, *Popillia japonica*, Col. (Cetoniid.)

- green June beetle (bug), *Allorrhina (Cotinis) nitida u. mutabilis*, **Col.**  
(Scarabaeid.)
- „ leaf weevil, *Phyllobius maculicornis*, **Col.** (Curcul.)
- „ peach aphid, *Myzus persicae*, **Hom.** (Aphid.)
- „ plant-bug, *Lioderma Uhleri, Nezara hilaris*, **Het.** (Pentatom.)
- „ pug moth, *Chlorocystis rectangulata*, **Lep.** (Geometr.)
- „ scale (coffee), *Coccus (Lecanium) viridis*, **Hom.** (Coccid.)
- „ soldier bug, *Nezara hilaris*, **Het.** (Pentatom.)
- „ strawberry slug, *Empria ignota*, **Hym.** (Tenthred.)
- „ -striped maple worm, *Anisota rubicunda*, **Lep.** (Ceratocamp.)
- „ tortoise beetle, *Physonota unipunctata*, **Col.** (Cassid.)
- „ tortrix, *Tortrix viridana*, **Lep.** (Tortricid.)
- greenhead, *Tabanus costalis*, **Dipt.** (Tabanid.)
- greenhouse aphid, *Myzus persicae*, **Hom.** (Aphid.)
- „ grasshopper, *Tachycines asynanorus*, **Orth.** (Stenopelmat.)
- „ leaf-tyer, *Phlyctaenia ferrugalis*, **Lep.** (Pyralid.)
- „ leafroller, *Cucoecia parallela*, **Lep.** (Tortric.)
- „ millipede, *Orthomorpha gracilis*, **Diplop.** (Julid.)
- „ orthezia, *Orthezia insignis*, **Hom.** (Coccid.)
- „ thrips, *Heliothrips haemorrhoidalis*, **Thys.** (Thripid.)
- „ white fly, *Asterochiton vaporariorum*, **Hom.** (Aleurod.)
- gribouri, *Bromius obscurus (vitis)*, **Col.** (Chrysomel.)
- grillon domestique, *Gryllus domesticus*, **Orth.** (Gryllid.)
- grisette, *Lopus sulcatus*, **Hom.** (Capsid.)
- grouse locusts, *Tettiginae*, **Orth.**
- guava leaf-roller, *Attelabus sexmaculatus*, **Col.** (Curcul.)
- Guinea grass moth, *Remigia repanda*, **Lep.** (Noctuid.)
- gum-tree bug, *Mictis profana*, **Hom.** (Coreid.)
- gusano de la naranja, *Anastrepha ludens*, **Dipt.** (Trypetid.)
- hackberry scale, *Lecanodiaspis celtidis*, **Hom.** (Coccid.)
- hag-moth caterpillar, *Phobetron pithecium*, **Lep.** (Cochlidid.)
- hairy-faced joint-worm, *Isosoma hirtifrons*, **Hym.** (Chalcid.)
- half-winged geometer, *Phigalia titela*, **Lep.** (Geometr.)
- ham skipper, *Piophilu casei*, **Dipt.** (Sepsid.)
- hanneton vert, larve du h., *Cotinis (Allorrhina) nitida*, **Col.** (Scarabaeid.)
- „ du cerisier, *Gryllotalpa borealis*, **Orth.** (Gryllotalp.)
- harlequin cabbage-bug, *Murgantia histrionica*, **Het.** (Pentatom.)
- „ fruit-bug, *Dindymus versicolor*, **Het.** (Pyrrhocor.)
- hay-worm, *Asopia costalis*, **Lep.** (Pyralid.)
- Hawaiian beet-webworm, *Hymenia fascialis*, **Lep.** (Pyralid.)
- „ leaf bug, *Hyaloepplus pellucidus*, **Hom.** (Capsid.)

- Hawaiian sugar-cane borer, *Rhabdochenis (Sphenophorus) obscurus*, **Col.**  
(Curcul.)
- „ sugar-cane leafroller, *Omiodes accepta*, **Lep.** (Pyralid.)
- hawthorn tingis, *Corythuca arcuata*, **Het.** (Tingitid.)
- head louse, *Pediculus capitis*, **Anopl.** (Pedicul.)
- „ maggot, *Oestrus ovis*, **Dipt.** (Oestrid.)
- heel worm, *Hypoderma lineata*, **Dipt.** (Oestrid.)
- hemerocampe marquée de blanc, *Hemerocampa leucostigma*, **Lep.** (Lymantr.)
- hemisphaerical scale, *Saissetia hemisphaerica*, **Hom.** (Coccid.)
- hen-flea, *Sarcopsylla gallinacea*, **Aphan.** (Pulic.)
- herbivorous lady bug, *Epilachna borealis*, **Col.** (Coccinell.)
- hessian fly, *Mayetiola (Cecidomyia) destructor* **Dipt.** (Cecidomyid.)
- hibiscus mealybug, *Pseudococcus hibisci* = *Phenacoccus hirsutus* **Hom.**  
(Coccid.)
- hibon, *Agrotis prornuba*, **Lep.** (Noctuid.)
- hickory aphid, little, *Monellia caryella*, **Hom.** (Aphid.)
- X „ borer, *Cyllene picta (Chion cinctus)*, **Col.** (Cerambyc.)
- „ (oak) cossid, *Cossula magnifica*, **Lep.** (Cossid.)
- „ gall aphid, *Phylloxera caryaecaulis*, **Hom.** (Aphid.)
- „ horned devil, *Citheronia regalis*, **Lep.** (Ceratocamp.)
- X „ -nut weevil, *Conotrachelus affinis*, **Col.** (Curcul.)
- „ phylloxera, *Phylloxera caryaecaulis*, **Hom.** (Aphid.)
- X „ -shoot weevil, *Conotrachelus aratus*, **Col.** (Curcul.)
- „ snout-beetle, *Magdalis olyra*, **Col.** (Curcul.)
- „ tiger moth, *Halisidota caryae*, **Lep.** (Archiid.)
- „ twig borer, *Chramesus hickoryae*, **Col.** (Scolyt.)
- „ twig girdler, *Oncideres cingulatus* (Curcul.)
- Hippelates fly, *Hippelates flavipes*, **Dipt.** (Oscinid.)
- hog caterpillar, *Papilio thoas*, **Lep.** (Papilion.)
- „ louse, *Haematopinus suis*, **Anopl.** (Pediculid.)
- honey-bee, *Apis mellifera*, **Hom.** (Apid.)
- „ -suckle sphinx, *Hemaris diffinis*, **Lep.** (Sphingid.)
- hooded plant-bug, *Euthochtha galeator*, **Het.** (Coreid.)
- hop aphid, h. plant-louse, *Phorodon humuli*, **Hom.** (Aphid.)
- „ flea-beetle, *Psylliodes punctulata*, **Col.** (Chrysomel.)
- „ grub, *Gortyna immanis*, **Lep.** (Noctuid.)
- „ leaf miner, *Agromyza frontalis*, **Dipt.** (Agromyz.)
- „ midge, *Cecidomyia humuli*, **Dipt.** (Cecidom.)
- „ plant borer, *Hydroecia immanis*, **Lep.** (Noctuid.)
- „ red spider, *Tetranychus althaeae*, **Acar.** (Tetranych.)
- „ root borer, *Hepialus humuli*, **Lep.** (Hepial.)
- „ snout-moth, *Hyppena humuli*, **Lep.** (Noctuid.)



- hornblower, *Phlegethontius sexta*, **Lep.** (*Sphinxid.*)  
horn fly, *Haematobia serrata*, **Dipt.** (*Muscid.*)  
horned squash-bug, *Anasa armigera*, **Hef.** (*Coreid.*)  
hornworm, *Protoparce (Phlegethontius) quinquemaculatus u. sexta*, **Lep.**  
horse bot-fly, *Gastrophilus equi*, **Dipt.** (*Oestrid.*) (*Sphinxid.*)  
horse-chestnut borer, *Zeuzera pyrina*, **Lep.** (*Cossid.*)  
" " scale, *Aspidiotus aesculi*, **Hom.** (*Coccid.*)  
" -radish flea-beetle, *Phyllotreta armoraciae*, **Col.** (*Chrysom.*)  
" " webworm, *Plutella armoraciae*, **Lep.** (*Tineid.*)  
" " " european, *Evergestia straminealis*, **Lep.** (*Pyralid.*)  
house centipede, *Scutigera forceps*, (*Myriap.*)  
house cricket, *Gryllus domesticus*, **Orth.** (*Gryllid.*)  
" fly, *Musca domestica*, **Dipt.** (*Muscid.*)  
" mosquito, *Culex pipiens*, **Dipt.** (*Culicid.*)  
Howard's scale, *Aspidiotus howardi*, **Hom.** (*Coccid.*)  
hummingbird, *Macroglossa stellatarum*, **Lep.** (*Sphinxid.*)  
hypoderme rayée = oestre du boeuf, *Hypoderma bovis*, **Dipt.** (*Oestrid.*)  
imbricated snout-beetle, *Epicaerus imbricatus*, **Col.** (*Curcul.*)  
immaculate blister-beetle, *Macrobasis immaculata*, **Col.** (*Meloid.*)  
imported cabbage leaf-miner, *Scaptomyza graminum*, **Dipt.** (*Drosophil.*)  
" " maggot, *Chortophila (Pegomyia) brassicae*, **Dipt.**  
(*Anthomyid.*)  
" " webworm, *Hellula undalis*, **Lep.** (*Pyralid.*)  
" " -worm (butterfly), *Pontia (Pieris) rapae*, **Lep.** (*Pierid.*)  
" clover weevil, *Miccotrogus picrostris*, **Col.** (*Curcul.*)  
" currant borer, *Sesia tipuliformis*, **Lep.** (*Sesiid.*)  
" " worm, *Pteronius ribesii (Nematus ventricosus)*, **Hym.**  
(*Tenthred.*)  
" onion maggot, *Hylemyia antiqua, Chortophila (Pegomyia) cepetorum*, **Dipt.** (*Anthomyid.*)  
" pea-moth, *Semasia nigricana*, **Lep.** (*Tortric.*)  
" turnip leaf miner, *Scaptomyza flaveola*, **Dipt.** (*Drosophil.*)  
indian euphoria, *Euphoria inda*, **Col.** (*Scarab.*)  
" fruit fly, *Ceratitis capitata*, **Dipt.** (*Trypet.*)  
" meal moth, *Plodia interpunctella*, **Lep.** (*Pyral.*)  
" tea geometrid, *Biston suppressarius*, **Lep.** (*Geometr.*)  
insidious flower bug, *Triphleps (Anthocoris) insidiosus*, **Hef.** (*Anthocorid.*)  
Isabella tiger moth, *Isia isabella*, **Lep.** (*Arctiid.*)  
ivy or oleander scale, *Aspidiotus hederac*, **Hom.** (*Coccid.*)  
Japanese (flower) beetle, *Papillia japonica*, **Col.** (*Cetoniid.*)  
" grain moth, *Melissoblastes gularis*, **Lep.** (*Pyral.*)  
" grasshopper, *Diestrammena marmorata*, **Orth.** (*Stenopelm.*)

- Japanese rose beetle, *Adoretus umbrosus*, **Col.** (*Scarabaeid.*)  
 " silkmoth, *Antheraea yamamai*, **Lep.** (*Saturnid.*)  
 jarr worm, *Gryllotalpa vulgaris*, **Orth.** (*Gryllotalp.*)  
 Java sugar-cane leaf-mite, *Tetranychus exsicicator*, **Acar.** (*Tetranych.*)  
 " " " grub beetle, *Apogonia destructor & ritsemæ*, **Col.** (*Scarab.*)  
 Jo moth, *Automeris io*, **Lep.** (*Saturnid.*)  
 joint worms, *Isosoma spp.*, **Hym.** (*Chalcid.*)  
 Jorulla silkmoth, *Rothschildia jorulla*, **Lep.** (*Saturnid.*)  
 June beetle, *Allorrhina nitida*, *Lachnosterna urenata*, **Col.** (*Scarabaeid.*)  
 juniper bark-borer, *Phloeosinus dentatus*, **Col.** (*Ipid.*)  
 " scale, *Diaspis carueli*, **Hom.** (*Coccid.*)  
 " webworm, *Dichomeris marginellus*, **Lep.** (*Gelechiid.*)  
 katydid, *Microcentrum retinerve*, **Orth.** (*Phaneropt.*)  
 kafir ant, *Solenopsis molesta*, **Hym.** (*Formicid.*)  
 kentjong-kever, *Heteronychus morator*, **Col.** (*Scarabaeid.*)  
 kermès à coquille d'huitre, *Lepidosaphes ulmi*, **Hom.** (*Coccid.*)  
 " cire de Floride, *Ceroplastes floridensis*, **Hom.** "  
 " coquille à l'huitre, *Aspidiotus ostreaeformis*, **Hom.** (*Coccid.*)  
 " de Glover, *Lepidosaphes gloveri*, **Hom.** (*Coccid.*)  
 " de Howard, *Aspidiotus howardi*, **Hom.** "  
 " de la pêche des Antilles, *Aulacaspis pentagona*, **Hom.** (*Coccid.*)  
 " de la rose, *Aulacaspis rosae*, **Hom.** (*Coccid.*)  
 " de la vigne, *Aspidiotus uvae*, **Hom.** "  
 " de l'épinette, *Chermes abietis*, **Hom.** "  
 " du cerisier, *Aspidiotus forbesi*, **Hom.** "  
 " du noyer, *Aspidiotus juglans-regiae*, **Hom.** (*Coccid.*)  
 " euonymes, *Chionaspis euonymi*, **Hom.** (*Coccid.*)  
 " floconneux de l'érable, *Pulvinaria innumerabilis*, **Hom.** (*Coccid.*)  
 " hémisphérique, *Saissetia hemisphaerica*, **Hom.** (*Coccid.*)  
 " noir, *Saissetia oleae*, **Hom.** (*Coccid.*)  
 " rapace, *Aspidiotus camelliae (rapax)*, **Hom.** "  
 " rouge de Floride, *Chrysomphalus aonidum*, **Hom.** (*Coccid.*)  
 " San José, *Aspidiotus perniciosus*, **Hom.** (*Coccid.*)  
 " teigne, *Chionaspis furfura*, **Hom.** (*Coccid.*)  
 kissing bug, *Reduvius personatus*, **Het.** (*Reduviid.*)  
 koffiebessen-boeboek, *Stephanoderes coffeae*, **Col.** (*Ipid.*)  
 lace bug, *Stephanitis pyri*, **Hetr.** (*Tingit.*)  
 lackey moth, *Malacosoma neustria*, **Lep.** (*Lasiocamp.*)  
 lagarda rosada, *Platyedra gossypiella*, **Lep.** (*Gelechiid.*)  
 lambda, *Plusia gamma*, **Lep.** (*Noctuid.*)  
 lappet moth, { *Epicnaptera americana*, **Lep.** (*Lasiocamp.*)  
                   { *Gastropacha quercifolia*, **Lep.** (*Lasiocamp.*)

- larch aphid, *Lachnus laricifex*, **Hom.** (*Aphid.*)  
 „ case bearer, *Coleophora laricella*, **Lep.** (*Eluchist.*)  
 „ chermes, *Cnaphalodes strobilobius*, **Hom.** (*Aphid.*)  
 „ sawfly, *Lygaeonematus erichsoni*, **Hym.** (*Tenthred.*)  
 „ tussock moth, *Dasychira selenitica*, **Lep.** (*Lymantr.*)  
 larder-beetle, *Dermestes lardarius*, **Col.** (*Dermest.*)  
 large australian fruit-fly, *Dacus aequalis*, **Dipt.** (*Trypetid.*)  
 „ beautiful woodnymph, *Euthisanotia grata*, **Lep.** (*Noctuid.*)  
 „ black blister-beetle, *Lytta insperata*, **Col.** (*Meloid.*)  
 „ cabbage butterfly, *Pontia monuste*, **Lep.** (*Pierid.*)  
 „ larch sawfly, *Lygaeonematus erichsoni*, **Hym.** (*Tenthred.*)  
 „ moth borer of sugar-cane, *Phragmatiphila truncata*, **Lep.**  
 „ narcissus fly, *Merodon equestris*, **Dipt.** (*Syrphid.*)  
 „ yellow underwing, *Agrotis prouba*, **Lep.** (*Noctuid.*)  
 larger cabbage moth, *Crocidolomyia binotalis*, **Lep.** (*Pyralid.*)  
 „ corn stark-borer, *Diatraea saccharalis*, **Lep.** (*Pyralid.*)  
 „ digger wasp, *Megastizus speciosus*, **Hym.** (*Crabronid.*)  
 „ grain-borer, *Dinoderus truncatus*, **Col.** (*Bostrychid.*)  
 „ pine weevil, *Pissodes pini*, **Col.** (*Cureul.*)  
 „ pith borer, *Myelophilus piniperda*, **Col.** (*Cureul.*)  
 „ striped flea-beetle, *Disonycha crenicollis*, **Col.** (*Chrysomel.*)  
 „ sugar-beet leaf-beetle, *Monoxia puncticollis*, **Col.** (*Chrysomel.*)  
 larve de la pomme, *Rhagoletis pomonella*, **Dipt.** (*Trypet.*)  
 latrine fly, *Homalomyia scalaris*, **Dipt.** (*Anthomyid.*)  
 lead-cable borer or short circuit, *Scobicia declivis*, **Col.** (*Bostrych.*)  
 leaf and blossom aphid, *Aphis prunifoliae*, **Hom.** (*Aphid.*)  
 „ crumbler, *Mineola indigenella*, **Lep.** (*Pyralid.*)  
 „ -curl plum aphid, *Anuraphis helichrysi*, **Hom.** (*Aphid.*)  
 „ -curling plum aphid, *Anuraphis (Aphis) prunina*, **Hom.** (*Aphid.*)  
 „ -cutting ant, *Atta ferreus*, **Hym.** (*Formicid.*)  
 „ -footed bug, *Leptoglossus phyllopus*, *L. oppositus*, **Het.** (*Cureid.*)  
 „ hispa, *Brontispa froggatti*, **Col.** (*Chrysomel.*)  
 „ -mining locust beetle, *Odontota dorsalis*, **Col.** (*Chrysomel.*)  
 „ -palpus cricket, *Phyllopalpus pulchellus*, **Orth.** (*Gryllid.*)  
 leaf roller, fruit tree, *Archips (Tortrix) argyrospila*, **Lep.** (*Tortric.*)  
 „ „ oblique banded, *Archips rosaceana*, **Lep.** (*Tortric.*)  
 „ „ red banded, *Eulia velutinana*, **Lep.** (*Tortric.*)  
 „ -stalk-aphid, *Pemphigus bursarius*, **Hom.** (*Aphid.*)  
 leather beetle, *Dermestes vulpinus u. Frischi*, **Col.** (*Dermest.*)  
 leather-colored locust, *Acridium alutaceum*, **Orth.** (*Acridid.*)  
 leather jaket grubs, *Tipulidae*, **Dipt.**  
 lemon caterpillar, *Papilio demoleus*, **Lep.** (*Papilion.*)

- lemon mite (l. silver mite), *Eriophyes oleivorus*, **Acar.** (*Eriophyid.*)  
 lentil weevil, *Bruchus lentis*, **Col.** (*Bruchid.*)  
 X leopard moth, *Zeuzera pyrina*, **Lep.** (*Cossid.*)  
 légionnaire, *Heliophila unipuncta*, **Lep.** (*Noctuid.*)  
 légionnaire d'automne, *Laphygma frugiperda*, **Lep.** (*Noctuid.*)  
 lesser apple leaf-folder (roller), *Acleris (Teras) minuta*, **Lep.** (*Tortric.*)  
 „ apple worm, *Eucarmonia prunivorana*, **Lep.** (*Tortric.*)  
 „ bud moth, *Recurvaria nanella*, **Lep.** (*Gelechiid.*)  
 „ bulb fly, *Eumerus strigatus*, **Dipt.** (*Pyralid.*)  
 „ corn stalk-borer, *Elasmopalpus lignosellus*, **Lep.** (*Pyralid.*)  
 „ grain-borer, *Rhizopertha dominica*, **Col.** (*Bostrych.*)  
 „ house fly, *Homalomyia canicularis*, **Dipt.** (*Anthomyid.*)  
 „ migratory locust, *Melanoplus atlantis*, **Orth.** (*Acrid.*)  
 „ peach-tree borer, *Sesia pictipes*, **Lep.** (*Sesiid.*)  
 „ pumpkin fly, *Dacus brevistylus*, **Dipt.** (*Trypetid.*)  
 „ sugar-beet leaf-beetle, *Monoxia puncticollis*, **Col.** (*Chrysomel.*)  
 „ wheat-straw maggot, *Oscinis carbonaria*, **Dipt.** (*Oscinid.*)  
 lettuce root-lice, *Rhizobius lactucae*, **Hom.** (*Aphid.*)  
 liberian sweet-potato borer, *Cylas brunneus*, **Col.** (*Curcul.*)  
 lieuse de feuille des serres, *Phlyctaenia ferrugalis*, **Lep.** (*Pyralid.*)  
 lilac borer, *Podosesia syringae*, **Lep.** (*Sesiid.*)  
 Lima-bean stem-borer (vine-borer), *Monoptilota nubilella*, **Lep.** (*Pyralid.*)  
 lime-tree span-worm (winter-moth), *Erannis tiliaria*, **Lep.** (*Geometr.*)  
 limpet caterpillar, *Acanthopsyche reidi*, **Lep.** (*Psychid.*)  
 linden gall mite, *Eriophyes tiliaris & tiliae*, **Acar.** (*Eriophyid.*)  
 „ scale, *Aspidiotus diffinis*, **Hom.** (*Coccid.*)  
 lined corn borer, *Hadena fractilinea*, **Lep.** (*Noctuid.*)  
 little black ant, *Prenolepis imparis*, **Hym.** (*Formic.*)  
 „ green tortoise-beetle, *Cassida pallidula*, **Lep.** (*Cassid.*)  
 „ house fly, *Homalomyia brevis*, **Dipt.** (*Anthomyid.*)  
 „ negro bug, *Corimelaena pulicaria*, **Het.** (*Pentatom.*)  
 „ psyllid, *Trioza diospyri*, **Hom.** (*Psyllid.*)  
 „ red ant, *Monomorium pharaonis*, **Hym.** (*Formic.*)  
 „ sulphur, *Eurema euterpe*, **Lep.** (*Pierid.*)  
 „ tingitid bug, *Corythuca irrorata*, **Het.** (*Tingit.*)  
 livid wireworm, *Monocrepidius lividus*, **Col.** (*Elaterid.*)  
 livrée, *Gastropacha neustria*, **Lep.** (*Lasiocamp.*)  
 „ des forêts, *Malacosoma disstria*, **Lep.** (*Lasiocamp.*)  
 lobster caterpillar, *Stauropus alternus*, **Lep.** (*Notodont.*)  
 locuste à deux bandes, *Melanoplus bivittatus*, **Orth.** (*Acrid.*)  
 locust mite, *Trombidium locustarum*, **Acar.** (*Tetranych.*)  
 „ -tree borer, *Cyllene robiniae*, **Col.** (*Cerambyc.*)

- loganberry crown-borer, *Pennisetia (Bembecia) marginata*, **Lep.** (Sesiid.)  
lone-star tick, *Amblyomma americanum*, **Acar.** (Ixodid.)  
long-headed flour beetle, *Latheticus oryzae*, **Col.** (Tenebr.)  
" -horned beetle, *Oncideres putator*, **Col.** (Cerambyc.)  
" -nosed ox-louse, *Haematopinus vituli*, **Anopl.** (Pedicul.)  
" scale, *Lepidosaphes gloveri (beckii)*, **Hom.** (Coccid.)  
" spined mealy bug, *Pseudococcus longispinus*, **Hom.** (Coccid.)  
" -winged locust, *Dissosteira longipennis*, **Orth.** (Oedipad.)  
lotus borer, *Pyrausta penitalis*, **Lep.** (Pyralid.)  
lubber grasshopper, *Dictyophorus reticulatus*, **Orth.** (Acrid.)  
lucerne caterpillar, *Colias electo*, **Lep.** (Pierid.)  
" flea, *Smynthurus viridis*, **Apt.** (Smindhurid.)  
" moth, *Tortrix glaphyriana*, **Lep.** (Tortricid.)  
" " of New South Wales, *Tortrix divulsana*, **Lep.** (Tortric.)  
lucille du monton, *Oestrus ovis*, **Dipt.** (Oestrid.)  
luna moth (l. silk-moth), *Tropaea luna*, **Lep.** (Saturnid.)  
lunate fly, *Eumerus strigatus*, **Dipt.** (Syrphid.)  
" looper, *Homoptera lenata*, **Lep.** (Noctuid.)  
magpie moth, *Abraaxas grossulariata*, **Lep.** (Geometr.)  
maize aphid, *Aphis maidis*, **Hom.** (Aphid.)  
" leafhopper, *Peregrinus maidis*, **Hom.** (Fulgorid.)  
malaria mosquito, *Anopheles maculipennis*, **Orth.** (Culicid.)  
mamestre du tréfle, *Mamestra trifolii*, **Lep.** (Noctuid.)  
mandarin fruit fly, *Dacus ornatissimus*, **Dipt.** (Trypetid.)  
mango bark borer, *Plocaederus ruficornis*, **Col.** (Cerambyc.)  
" borer, *Batocera titana*, **Col.** (Cerambyc.)  
" fruit fly, *Dacus ferrugineus*, **Dipt.** (Trypetid.)  
" leaf-hopper, *Idiocerus sp.*, **Hom.** (Jussid.)  
" scale, *Leucaspis indica*, **Hom.** (Coccid.)  
" shield scale, *Coccus acuminatus*, **Lep.** (Coccid.)  
" shoot psylla, *Psylla cistellata*, **Hom.** (Psyllid.)  
" weevil, *Cryptorrhynchus (Sternochetus) mangiferae*, **Col.** (Curcul.)  
maple borer, sugar, *Plagionotus speciosus*, **Col.** (Cerambyc.)  
" case bearer, *Paraclemensia acerifoliella*, **Lep.** (Pyral.)  
" dagger moth, *Apatela americana*, **Lep.** (Noctuid.)  
" leaf-louse, *Pseudococcus aceris*, **Hom.** (Coccid.)  
" " pulvinaria, *Pulvinaria acericola*, **Hom.** (Coccid.)  
march moth, *Anisopterix aescularia*, **Lep.** (Geometr.)  
margined blister-beetle, { *Epicauta americana*, **Col.** (Meloid.)  
                                  { *E. cinerea*.  
" leaf-chafer, *Anomala marginata*, **Col.** (Scarabaeid.)  
" vine-chafer, " " **Col.** (Scarabaeid.)

- margotte, *Lopus sulcatus*, **Hom.** (*Capsid.*)  
 marguerite fly, *Phytomyza affinis*, **Dipt.** (*Agromyz.*)  
 marmoress butterfly, *Hipparchia galatea*, **Lep.** (*Satyrid.*)  
 Mars changeant, *Apatura iris*, **Lep.** (*Nymphal.*)  
 masked scale, *Chrysomphalus personatus*, **Hom.** (*Coccid.*)  
 Mauritius fruit fly, *Ceratitidis catoirei*, **Dipt.** (*Trypet.*)  
 May beetle, *Lachnosterna fusca*, **Col.** (*Melolonth.*)  
 meadow caterpillar, *Ctenucha virginica*, **Lep.** (*Amatid.*)  
 " worm, *Tipula bicornis*, **Dipt.** (*Tipulid.*)  
 meal sap-beetle, *Carpophilus dimidiatus*, **Col.** (*Nitidul.*)  
 " snout-moth, *Pyralis farinalis*, **Lep.** (*Pyralid.*)  
 " -worm, *Tenebrio obscurus*, **Col.** (*Tenebr.*)  
 mealy bug, *Pseudococcus longispinus*, **Hom.** (*Coccid.*)  
 " plum louse, *Hyalopterus arundinis*, **Hom.** (*Aphid.*)  
 " wing, *Aleurodes citri*, **Hom.** (*Aleurod.*)  
 meat skipper, *Piophilus casei*, **Dipt.** (*Sepsid.*)  
 mediterranean flour moth, *Ephesia kühniella*, **Lep.** (*Pyralid.*)  
 " fruit-fly, *Ceratitidis capitata*, **Dipt.** (*Trypet.*)  
 melancholy sapchafer, *Euphoria melancholica*, **Col.** (*Scarabaeid.*)  
 melon aphid, *Aphis gossypii*, **Hom.** (*Aphid.*)  
 " caterpillar, *Diaphania hyalinata*, **Lep.** (*Pyralid.*)  
 " fly, *Dacus (Bactrocera) cucurbitae*, **Dipt.** (*Trypet.*)  
 " fruit fly, *Carpomyia pardalina*, **Dipt.** (*Trypet.*)  
 " leaf-bug, *Pycnoderes quadrimaculatus*, **Het.** (*Capsid.*)  
 " weevil, *Baris traegardhi*, **Col.** (*Curcul.*)  
 " worm, *Diaphania hyalinata*, **Lep.** (*Pyralid.*)  
 merchant grain-beetle, *Silvanus mercator*, **Col.** (*Cucujid.*)  
 metallic tomato fly, *Lonchaea splendida*, **Dipt.** (*Trypet.*)  
 mexican agave scale, *Chrysomphalus agavis*, **Hom.** (*Coccid.*)  
 " bean beetle, *Epilachna corrupta*, **Col.** (*Coccinell.*)  
 " bean-weevil, *Spermophagus pectoralis*, **Col.** (*Bruchid.*)  
 " bot-fly, *Tabanus mexicanus*, **Dipt.** (*Tabanid.*)  
 " cotton boll weevil, *Anthonomus grandis*, **Col.** (*Curcul.*)  
 " fruit fly, *Anastrepha ludens*, **Dipt.** (*Trypet.*)  
 " grain beetle, *Pharaxonotha kirschi*, **Col.** (*Cryptophag.*)  
 military bug, *Hadronema militaris*, **Het.** (*Mirid.*)  
 millet stalk worm, *Pyrausta nubilalis*, **Lep.** (*Pyralid.*)  
 mimosa scale, *Chrysomphalus mimosae*, **Hom.** (*Coccid.*)  
 mining scale, *Howardia biclavis*, **Hom.** (*Coccid.*)  
 mineuse de noyaux d'olive, *Oecophora oliviella*, **Lep.** (*Gelechiid.*)  
 minor pine weevil, *Pissodes notatus*, **Col.** (*Curcul.*)  
 " pith borer, *Myelophilus minor*, **Col.** (*Curcul.*)

- mite angumoise du grain, *Sitotroga cerealella*, **Lep.** (*Tineid.*)  
 „ des tapis, *Trichophaga tapetzella*, **Lep.** (*Tineid.*)  
 „ du trèfle, *Bryobia pratensis*, **Acar.** (*Tetranych.*)  
 moine, *Lymantria monacha*, **Lep.** (*Lymantr.*)  
 mole-cricket, *Gryllotalpa vulgaris*, **Orth.** (*Gryllotalp.*)  
 moon-flecked moth, *Phalera bucephala*, **Lep.** (*Notodont.*)  
 morio, *Vanessa antiopa*, **Lep.** (*Nymphalid.*)  
 Morelos orange fruit-worm, *Anastrepha (Trypeta) ludens*, **Dipt.** (*Trypet.*)  
 mormon cricket, *Anabrus simplex*, **Orth.** (*Decticin.*)  
 morning-glory leaf-cutter, *Loxostege obliteralis*, **Lep.** (*Pyralid.*)  
 mosca della oliva, m. olearia, *Dacus oleae*, **Dipt.** (*Trypetid.*)  
 „ prieta, *Aleurocantus woglumi*, **Hom.** (*Aleurod.*)  
 mottled tortoise beetle, *Coptocycla signifera*, **Col.** (*Cassid.*)  
 „ umber moth, *Erannis (Hibernia) defoliaria*, **Lep.** (*Geometr.*)  
 mouche à scie du chaume de blé, *Meromyza americana*, **Dipt.** (*Oscinid.*)  
 „ à scie du mélèze, *Lygaeonematus erichsoni*, **Hym.** (*Tenthred.*)  
 „ à scie du sapin, *Lophyrus abietis*, **Hym.** (*Tenthred.*)  
 „ de hesse, *Mayetiola destructor*, **Dipt.** (*Cecidomyid.*)  
 „ de la carotte, *Psila rosae*, **Dipt.** (*Psilid.*)  
 „ de la graine du trèfle, *Dasyneura leguminicola*, **Dipt.** (*Cecidom.*)  
 „ de l'orange, *Ceratitis capitata*, **Dipt.** (*Trypet.*)  
 „ des cornes, *Haematobia serrata*, **Dipt.** (*Muscid.*)  
 „ des étables, *Stomoxys calcitrans*, **Dipt.** (*Muscid.*)  
 „ des latrines, *Homalomyia scalaris*, **Dipt.** (*Anthomyid.*)  
 „ des maisons, *Musca domestica*, **Dipt.** (*Muscid.*)  
 „ des olives, *Dacus oleae*, **Dipt.** (*Trypetid.*)  
 „ du cerisier, *Rhagoletis cingulata*, **Dipt.** (*Trypetid.*)  
 „ du narcisse, *Merodon equestris*, **Dipt.** (*Syrphid.*)  
 „ noire meridionale, *Simulium meridionale*, **Dipt.** (*Simuliid.*)  
 mountain ash-louse, *Pemphigus fraxini-dipetalae*, **Hom.** (*Aphid.*)  
 mourning cloak, *Euvanessa antiopa*, **Lep.** (*Nymphal.*)  
 muck beetle, *Ligyris gibbosus*, **Col.** (*Scarabaeid.*)  
 mulberry looper, *Hemirophila atrilineata*, **Lep.** (*Geometr.*)  
 „ spring-looper, *Zanacra albofasciaria*, **Lep.** (*Geometr.*)  
 mustard beetle, *Phaedon cochleariae*, **Col.** (*Chrysom.*)  
 Nais tiger-moth, *Apantesis nais*, **Lep.** (*Arctiid.*)  
 Nantucket pinemoth, *Ectetia frustrana*, **Lep.** (*Tortricid.*)  
 narcissus fly, *Merodon equestris*, **Dipt.** (*Syrphid.*)  
 Natal locust, *Acridium purpuriferum*, **Orth.** (*Acrid.*)  
 native cabbage leaf-miner, *Scaptomyza adusta*, **Dipt.** (*Drosophil.*)  
 „ currant stem-borer, *Psenocerus supernotatus*, **Col.** (*Ceram.*)  
 „ currant worm, *Pristiphora grossulariae*, **Hym.** (*Tenthred.*)

- native peach bark-beetle, *Phloeophthorus liminaris*, **Col.** (*Ipid.*)  
 négrit, *Colaspidema atrum*, **Col.** (*Chrysomel.*)  
 negro bug, *Corimelaena pulicaria*, **Het.** (*Pentatom.*)  
 neiroun, *Phloeotribus oleae*, **Col.** (*Ipid.*)  
 nématé (petite livrée), *Selandria cerasi*, **Hym.** (*Tenthred.*)  
 nématode du framboisier, *Monophadnoides rubi*, **Hym.** (*Tenthred.*)  
 „ du rosier, *Endelomyia rosae*, *Caliroa aethiops*, **Hym.** (*Tenthred.*)  
 netted tick, *Dermacentor reticulatus*, **Acar.** (*Ixodid.*)  
 New York plum scale, *Eulecanium juglandis*, **Hom.** (*Coccid.*)  
 „ „ weevil, *Ithycerus noveboracensis*, **Col.** (*Curcul.*)  
 noctuelle des choux, *Autographa brassicae*, **Lep.** (*Noctuid.*)  
 noctuelle Io, *Automeris io*, **Lep.** (*Saturnid.*)  
 Norfolk island pine bark-louse, *Rhizococcus araucariae*, **Hom.** (*Coccid.*)  
 North-Dakota's new bug, *Leptocerus trivittatus*, **Het.** (*Coreid.*)  
 northern cloudy-wing, *Thorybes pylades*, **Lep.** (*Hesperid.*)  
 „ corn billbug, *Sphenophorus zaeae*, **Col.** (*Curcul.*)  
 „ corn root-worm, *Diabrotica longicornis*, **Col.** (*Chrysom.*)  
 „ grass worm, *Drasteria erectea*, **Lep.** (*Noctuid.*)  
 „ ladybird, *Epilachna borealis*, **Col.** (*Coccinell.*)  
 „ leaf-footed plant-bug, *Leptoglossus oppositus*, **Het.** (*Coreid.*)  
 „ mango weevil, *Sternochetus (Cryptorrhynchus) gravis*, **Col.** (*Curc.*)  
 „ mole cricket, *Gryllotalpa borealis*, **Orth.** (*Gryllotalp.*)  
 „ tobacco (tomato) worm, *Phlegetonhius quinquemaculata*, **Lep.**  
 (*Sphingid.*)  
 november moth, *Himera pennaria*, **Lep.** (*Geometr.*)  
 nun moth, *Lymantria monacha*, **Lep.** (*Lymantr.*)  
 nut fruit tortrix, *Laspeyresia splendana*, **Lep.** (*Tortric.*)  
 „ tortrix, *Laspeyresia amplana*, **Lep.** (*Tortric.*)  
 „ weevil, *Balaninus nucum*, **Col.** (*Curcul.*)  
 Nuttall's blister-beetle, *Cantharis nuttalli*, **Col.** (*Meloid.*)  
 oak ambrosia beetle, *Xyleborus affinis*, **Col.** (*Ipid.*)  
 „ pruner, *Elaphidion villosum*, **Col.** (*Cerambyc.*)  
 „ tortrix, *Tortrix viridana*, **Lep.** (*Tortric.*)  
 „ tree pruner, *Elaphidion parallelum*, **Col.** (*Cerambyc.*)  
 „ tussock caterpillar, *Halisidota maculata*, **Lep.** (*Arctiid.*)  
 „ twig girdler, pacific, *Agrilus angelicus*, **Col.** (*Buprest.*)  
 „ worm, California, *Phryganidia californica*, **Lep.** (*Dioptid.*)  
 oat aphid, *Siphocoryne (Aphis) avenae*, **Hom.** (*Aphid.*)  
 oblique-banded leaf-roller, *Archips rosaceana*, **Lep.** (*Tortric.*)  
 obscure grasshopper, *Acridium obscurum*, **Orth.** (*Acrid.*)  
 „ scale, *Chrysomphalus obscurus*, **Hom.** (*Coccid.*)  
 obsolete-banded strawberry leafroller, *Archips obsoletana*, **Lep.** (*Tortric.*)



- okra caterpillar, *Anomis erosa*, **Lep.** (*Noctuid.*)  
old fashioned potato beetle, *Macrobasis unicolor*, **Col.** (*Meloid.*)  
" " " bug, *Epicauta vittata*, **Col.** (*Meloid.*)  
" tumblebug, *Copris carolina*, **Col.** (*Scarabaeid.*)  
oleander scale, *Aspidiotus hederac*, **Hom.** (*Coccid.*)  
Olinda bug, *Aranigus fulleri*, **Col.** (*Cureul.*)  
olive bark beetle, *Luperisinus californicus*, **Col.**  
" beetle, *Phloeotribus scarabaeoides*, **Col.** (*Ipid.*)  
" fly, *Dacus oleae*, **Dipt.** (*Trypet.*)  
" moth, *Prays oleellus*, **Lep.** (*Hyponom.*)  
" scale, *Saissetia (Lecanium) oleae*, **Hom.** (*Coccid.*)  
" seed fruit fly, *Miuromya nudiseta*, **Dipt.** (*Trypet.*)  
" twig borer, *Polycan confertus*, **Col.** (*Clerid.*)  
omnivorous looper, *Sabulodes caperata*, **Lep.** (*Geometr.*)  
onion capsid, *Orthotylus translucens*, **Het.** (*Capsid.*)  
" fly, *Eumerus strigatus*, **Dipt.** (*Syrphid.*)  
" " black, *Tritoxa flexa*, **Dipt.** (*Ortalid.*)  
onion maggot, *Hylemyia antiqua (Phorbia cepetorum)*, **Dipt.** (*Anthomyid.*)  
" " barred winged, *Chaetopsis aenea*, **Dipt.** (*Ortalid.*)  
" thrips, *Thrips tabaci*, **Thys.** (*Thripid.*)  
orange basketworm, *Platoeceticus gloveri*, **Lep.** (*Psychid.*)  
" case-bearer, *Eurycyttarus confederata*, **Lep.** (*Psychid.*)  
" chionaspis, *Chionaspis citri*, **Hom.** (*Coccid.*)  
" chrysobothris, *Chrysobothris chrysoela*, **Col.** (*Buprest.*)  
" dog, *Papilio thoas*, **Lep.** (*Papilion.*)  
" fruit fly, *Ceratitis capitata*, **Dipt.** (*Trypetid.*)  
" fruit mite, *Tenuipalpus californicus*, **Acar.** (*Tetranych.*)  
" leaf aleyrodes, *Aleurodes citrifolii*, **Hom.** (*Aleurod.*)  
" leaf-notcher, *Artipus floridanus*, **Col.** (*Curcul.*)  
" leaf-roller, *Platynota rostrana (Tortrix citrana)*, **Lep.** (*Tortric.*)  
" rust-mite, *Eriophyes oleivorus*, **Acar.** (*Eriophyid.*)  
" sawyer, *Elaphidion inerme*, **Col.** (*Cerambyc.*)  
" scale, *Aonidiella aurantii*, **Hom.** (*Coccid.*)  
" sulphur, *Eurymus (Colias) eurytheme*, **Lep.** (*Papilion.*)  
" thrips, *Euthrips citri*, **Thys.** (*Thripid.*)  
" tree bug, *Oncoscelis sulciventris*, **Hom.** (*Pentatom.*)  
" white spot, *Tetranychoides californica*, **Acar.** (*Tetranych.*)  
orchard leaf-roller, *Archips (Tortrix) argyrospila*, **Lep.** (*Tortric.*)  
oriental fruit moth, *Cydia (Laspeyresia) molesta*, **Lep.** (*Pyral.*)  
" moth, *Unidocampa (Monema) flavescens*, **Lep.** (*Limacod.*)  
orizaba silkmoth, *Rothschildia orizaba*, **Lep.** (*Saturiid.*)  
osage orange pyralid, *Loxostege machurac*, **Lep.** (*Pyralid.*)

- ox bot (ox warble), *Hypoderma lineata*, **Dipt.** (Oestrid.)
- x oyster-shell scale (bark-louse), *Lepidosaphes ulmi*, **Acar.** (Coccid.)
- paarsroder borer, *Sesamia nonagroides* var. *albiciliata*, **Lep.** (Noctuid.)
- pacific-coast silkmoth, *Samia rubra*, **Lep.** (Saturnid.)
- ” peach-tree borer, *Sanninoidea opalescens*, **Lep.** (Sesiid.)
- paddy bug, *Leptocorisa acuta*, **Hom.** (Coreid.)
- ” fly, *Leptocorisa varicornis*, **Hom.** (Coreid.)
- x painted hickory borer, *Cyllene caryae*, **Col.** (Cerambyc.)
- ” lady, *Vanessa cardui*, **Lep.** (Nymphal.)
- pale-striped flea-beetle, *Systema blanda* (taeniata), **Col.** (Chrysom.)
- pale western cutworm, *Porosagrotis orthogenia*, **Lep.** (Noctuid.)
- palm scale, { *Aspidiotus lataniae*,  
                  { *Phoenicococcus marlatti*, } **Hom.** (Coccid.)
- ” weevil, *Rhynchophorus ferrugineus*, **Col.** (Curcul.)
- palmer-worm, { *Ypsolophus ligulellus*,  
                  { *Y. pometellus*, } **Lep.** (Gelechiid.)
- palmetto-scale, *Comstockiella sabalis*, **Hom.** (Coccid.)
- ” weevil, *Rhynchophorus cruentatus*, **Col.** (Curcul.)
- palo verde scale, *Targiona parkinsoniae*, **Hom.** (Coccid.)
- pan-american platypus, *Platypus compositus*, **Col.** (Platypodid.)
- panther blister-beetle, *Epicauta pardalis*, **Col.** (Meloid.)
- paon du jour, *Vanessa io*, **Lep.** (Nymphalid.)
- papaya fruit-fly, *Toxotrypana curvicauda*, **Dipt.** (Trypet.)
- papillon gris de la farine, *Ephestia kühniella*, **Lep.** (Pyralid.)
- parasol-ant, *Atta* spp., **Hym.** (Formicid.)
- parlatoria date scale, *Parlatoria blanchardi*, **Hom.** (Coccid.)
- parsley root-borer (stalk-weevil), *Listronotus latiusculus*, **Col.** (Curcul.)
- parsnip butterfly, *Papilio polyxenes*, **Lep.** (Papilionid.)
- ” leaf-miner, *Acidia fratria*, **Dipt.** (Trypet.)
- ” webworm, *Depressaria heracliana*, **Lep.** (Gelechiid.)
- patte étendue, *Dasychira pudibunda*, **Lep.** (Lymnathr.)
- pea aphid, *Acyrtosiphon* (*Macrosiphum*) *psi*, **Hom.** (Aphid.)
- ” midge, *Contarinia psi*, **Dipt.** (Cecidom.)
- ” moth, { *Laspeyresia nebritana*, *L. nigricana*,  
                  { *L. dorsana* (novimundi), } **Lep.** (Tortric.)
- ” weevil, *Bruchus pisorum*, **Col.** (Bruchid.)
- peach aphid, green, *Myzus persicae*, **Hom.** (Aphid.)
- ” bark-beetle, *Phloeotribus liminaris*, **Col.** (Ipid.)
- ” bark louse, *Lecanium persicae*, **Hom.** (Coccid.)
- ” borer (tree borer), *Sanninoidea* (*Aegeria*) *exitiosa*, **Lep.** (Sesiid.)
- ” budworm, *Anarsia lineatella*, **Lep.** (Gelechiid.)
- ” curculio, *Conotrachelus nemphar*, **Col.** (Curcul.)

- peach fruit fly, *Dacus persicae*, **Dipt.** (*Trypet.*)  
 „ moth, oriental, *Laspeyresia molesta*, **Lep.** (*Tortric.*)  
 „ sawfly, *Pamphilius persicus*, **Hym.** (*Lysid.*)  
 „ scale, *Eulecanium persicae*, **Hom.** (*Coccid.*)  
 „ -tree bark-beetle, *Phloeotribus liminaris*, **Col.** (*Ipid.*)  
 „ -twig borer (moth), *Anarsia lineatella*, **Lep.** (*Gelechiid.*)  
 „ worm, „ „ „ „  
 peacock, *Vanessa io*, **Lep.** (*Nymphalid.*)  
 pear aphid, *Eriosoma (Schizoneura) pyricola*, **Hom.** (*Aphidid.*)  
 „ -blight beetle, *Xyleborus dispar (piri)*, **Col.** (*Ipid.*)  
 „ blister mite, *Eriophyes piri*, **Acar.** (*Eriophyid.*)  
 „ -blossom weevil, *Anthonomus cinctus* **Col.** (*Curcul.*)  
 „ borer, *Sesia (Aegeria) piri*, **Lep.** (*Sesiid.*)  
 „ „ *Agrilus sinuatus*, **Col.** (*Buprest.*)  
 „ eating beetle, *Ephoria inda*, **Col.** (*Scarabaeid.*)  
 „ fruit borer, *Nephoterix rubrizonella*, **Lep.** (*Pyral.*)  
 „ gall midge, *Contarinia pirivora*, **Dipt.** (*Cecidomyid.*)  
 „ -leaf blister mite, *Eriophyes piri*, **Acar.** (*Eriophid.*)  
 „ leaf-curling midge, *Dasyneura piri*, **Dipt.** (*Cecidomyid.*)  
 „ mealybug, *Pseudococcus maritimus*, **Hom.** (*Coccid.*)  
 „ midge, *Diplosis (Contarinia) pirivora*, **Dipt.** (*Cecidomyid.*)  
 „ psylla, *Psilla piricola (piri)*, **Hom.** (*Psyllid.*)  
 „ scale, *Aspidiotus ostreaeformis*, **Hom.** (*Coccid.*)  
 „ -slug { *Ericampoides limacina*, **Hym.** (*Tenthred.*)  
           { *Selandria cerasi*, „ „ „ „  
 „ thrips, *Taeniothrips (Euthrips) inconsequens (piri)*, **Thys.** (*Thripid.*)  
 „ tingid, *Stephanitis piri*, **Het.** (*Tingit.*)  
 „ tree borer, *Sesia (Aegeria) piri*, **Lep.** (*Sesiid.*)  
 „ -tree oyster scale, *Aspidiotus ostreaeformis*, **Hom.** (*Coccid.*)  
 pecan bud moth, *Proteopteryx holleana*, **Lep.** (*Tortric.*)  
 „ case bearer, *Acrobasis hebescella*, **Lep.** (*Pyralid.*)  
 „ cigar-case bearer, *Coleophora caryaefoliella* **Lep.** (*Elachist.*)  
 „ leaf-case bearer, *Acrobasis nebulella*, **Lep.** (*Pyralid.*)  
 „ shuck-worm, *Laspeyria caryana*, **Lep.** (*Tortric.*)  
 „ weevil, *Balaninus caryae*, **Col.** (*Curcul.*)  
 penciled snout-beetle, *Centrinus penicellus*, **Col.** (*Curcul.*)  
 pepper-and-salt currant moth, *Lycia cognataria*, **Lep.** (*Geometr.*)  
 pepper maggot, *Spilographa electa*, **Dipt.** (*Trypetid.*)  
 „ weevil, *Anthonomus eugenii*, **Col.** (*Curcul.*)  
 perce bois du framboisier, *Oberca bimaculata*, **Col.** (*Cerambyc.*)  
 „ chaussée, *Gryllotalpa vulgaris*, **Orth.** (*Gryllotalp.*)  
 „ collet traisier, *Tyloderma fragariae*, **Col.** (*Curcul.*)

- perce oreille, *Forficula auricularia*, **Orth.** (*Forficul.*)  
 perceur doré du bouleau, *Agrilus anxius*, **Col.** (*Buprestid.*)  
 periodical cicada, *Tibicina septendecim*, **Hom.** (*Jassid.*)  
 pernicious scale, *Aspidiotus perniciosus*, **Hom.** (*Coccid.*)  
 persimmon root-borer, *Pheomonö 5-caudata*, **Lep.** (*Sesiid.*)  
 petite locuste voyageuse, *Melanopus atlantis*, **Orth.** (*Acrid.*)  
 petit paon, *Saturnia carpinii*, **Lep.** (*Saturnid.*)  
 petit ver de la pomme, *Enarmonia prunivora*, **Lep.** (*Tortric.*)  
 Philippine cotton boll weevil, *Amorphoidea lata*, **Col.** (*Curcul.*)  
 „ orange moth, *Prays citri*, **Lep.** (*Hyponom.*)  
 phylloxera de la vigne, *Phylloxera vastatrix*, **Hom.** (*Aphid.*)  
 phyllira tiger-moth, *Apantesis phyllira*, **Lep.** (*Arctiid.*)  
 pickle-worm, *Diaphania (Margaronia) nitidalis*, **Lep.** (*Pyral.*)  
 pigmy mangold beetle, *Atomaria linearis*, **Col.** (*Cryptophagid.*)  
 pigeon-tremex, *Tremex columba*, **Hym.** (*Tenthred.*)  
 pig-nut leaf-weevil, *Conotrachelus elegans*, **Col.** (*Curcul.*)  
 pine bark aphid, *Chermes pinicorticis*, **Hom.** (*Aphid.*)  
 pin-borer, *Pterocyclon (Monarthrum) mali*, **Col.** (*Ipid.*)  
 pine (bark-) beetle (southern), *Dendroctonus frontalis*, **Col.** (*Ipid.*)  
 „ -leaf scale, }  
 „ needle scale, } *Chionaspis pinifoliae*, **Hom.** (*Coccid.*)  
 „ shoot moth, *Evetria buoliana*, **Lep.** (*Tortric.*)  
 „ tube moth, *Eulia pinitubana*, *E. politana*, **Lep.** (*Tortric.*)  
 „ weevil, *Hylobius abietis*, **Col.** (*Curcul.*)  
 pink bollworm, *Platyedra (Pectinophora) gossypiella*, **Lep.** (*Gelechiid.*)  
 „ mite, *Eriophyes theae*, **Acar.** (*Eriophyid.*)  
 „ and green potato aphid, *Macrosiphum solanifolii*, **Hom.** (*Aphid.*)  
 pique-bouton ocellé, *Eucosma (Tmetocera) ocellana*, **Lep.** (*Tortric.*)  
 pistol case-bearer, *Coleophora malivorella*, **Lep.** (*Elachist.*)  
 pitch twig moth, *Evetria comstockiana*, **Lep.** (*Tortric.*)  
 „ pine retinia, *Ecetria rigidana*, **Lep.** (*Tortric.*)  
 plum and peach scale, *Lecanium prunastri*, **Hom.** (*Coccid.*)  
 „ blister mites, *Eriophyes phloeocoptes*, *E. padi*, **Acar.** (*Eriophyid.*)  
 „ borer, *Rhynchites cupreus*, **Col.** (*Curcul.*)  
 „ bud moth, *Olethreutes pruinaana*, **Lep.** (*Tortric.*)  
 „ curculio, *Conotrachelus nenuphar*, **Col.** (*Curcul.*)  
 „ fruit sawfly, *Hoplocampa fulvicornis*, **Hym.** (*Tenthred.*)  
 „ gauger, *Coccotorus (Anthonomus) scutellaris (prunicida)*, **Col.**  
 (Curcul.)  
 „ leaf-beetle, *Nodonota tristis*, **Col.** (*Chrysomel.*)  
 „ leaf sawfly, *Prophorus padi*, **Hym.** (*Tenthred.*)  
 „ lecanium, *Eulecanium prunastri*, **Hom.** (*Coccid.*)

- plum plant-louse, *Myzus (Phorodon) mahaleb*, **Hom.** (*Aphid.*)  
 „ psylla, *Psylla pruni*, **Hom.** (*Psyllid.*)  
 „ sawfly, *Eriocampoides limacina*, **Hym.** (*Tenthred.*)  
 „ spider mite, *Paratetranychus pilosus*, **Acar.** (*Tetranych.*)  
 „ stem piercer, *Magdalis armigera*, **Col.** (*Curcul.*)  
 „ thistle aphid, *Aphis cardui*, **Hom.** (*Aphid.*)  
 „ -tree plant-louse, *Aphis prunifolia*, **Hom.** (*Aphid.*)  
 „ twig gall mite, *Phytoptus phloeocoptes*, **Acar.** (*Eriophyid.*)  
 „ webspinning sawfly, *Neurotoma inconspicua*, **Hym.** (*Tenthred.*)  
 plusia du choux, *Plusia brassicae*, **Lep.** (*Noctuid.*)  
 Polyphemus silkmoth, *Telea polyphemus*, **Lep.** (*Saturnid.*)  
 pomegranate bug, *Leptoglossus phyllopus*, **Hom.** (*Membrac.*)  
 poplar and willow borer, *Cryptorhynchus lapathi*, **Col.** (*Curcul.*)  
 „ borer, *Superda calcarata (carcharius)*, **Col.** (*Cerambyc.*)  
 „ sawfly, *Trichiocampus viminalis*, **Hym.** (*Tenthred.*)  
 porte case de mélèze, *Coleophora laricella*, **Lep.** (*Elachistid.*)  
 „ -queue, *Papilio machaon*, **Lep.** (*Papilionid.*)  
 „ -selle, *Ephippigera vitium*, **Orth.** (*Ephippiger.*)  
 Porter's white fly, *Aleurothrixus porteri*, **Hom.** (*Aleurod.*)  
 Porto Rico mole cricket, *Scapteriscus didactylus*, **Orth.** (*Gryllotalp.*)  
 potato aphid (plant louse), *Macrosiphum solanifolia*, **Hom.** (*Aphid.*)  
 „ -bud weevil, *Anthonomus nigrinus*, **Col.** (*Curcul.*)  
 „ flea-beetle, *Epitrix cucumeris*, **Col.** (*Chrysomel.*)  
 „ leaf-hopper, *Empoasca mali*, **Hom.** (*Jassid.*)  
 „ moth (Australia), *Lita solanella*, **Lep.** (*Gelechiid.*)  
 „ root mite, *Rhizoglyphus echinopus*, **Acar.** (*Tyroglyph.*)  
 „ scab gnat, *Pnyxia scabiei*, **Dipt.** (*Sciarid.*)  
 „ stalk-borer (-weevil), *Trichobaris trinotata*, **Col.** (*Curcul.*)  
 „ tuber moth (worm), *Phthorimaea operculella*, **Lep.** (*Gelechiid.*)  
 potherb butterfly, *Pontia oleracea*, **Lep.** (*Pierid.*)  
 pretty cutworm, *Mamestra legitima*, **Lep.** (*Noctuid.*)  
 privet webworm, *Diaphania (Margaronia) quadristigmalis*, **Lep.** (*Pyral.*)  
 processionary caterpillar, *Cnethocampa processionea*, **Lep.** (*Cnethoc.*)  
 Prometheus silkmoth, *Callosamia promethea*, **Lep.** (*Saturnid.*)  
 prune root borer, *Sanninoidea opalescens*, **Lep.** (*Sesiid.*)  
 puceron de la racine du maïs, *Aphis maidi-radici*, **Hom.** (*Aphid.*)  
 „ des vignobles, *Macrosiphum illinoiensis*, **Hom.** (*Aphid.*)  
 „ destructor du pois, *Nectaraphora destructor*, **Hom.** (*Aphid.*)  
 „ du cerisier, *Myzus cerasi*, **Hom.** (*Aphid.*)  
 „ du grain, *Siphonophora avenae*, **Hom.** (*Aphid.*)  
 „ du houblon, *Phorodon humuli*, **Hom.** (*Aphid.*)  
 „ du navet, *Aphis brassicae*, **Hom.** (*Aphid.*)

- puceron du pommier, *Aphis pomi*, **Hom.** (*Aphid.*)  
 „ du raisin, *Aphis ribis*, **Hom.** (*Aphid.*)  
 „ lanigère, *Eriosoma lanigerum*, **Hom.** (*Aphid.*)  
 „ noir de la pêche, *Aphis persicae-niger*, **Hom.** (*Aphid.*)  
 „ noir de la violette, *Rhopalosiphum violae*, **Hom.** (*Aphid.*)  
 pumpkin beetle, *Épilachna borealis*, **Col.** (*Coccin.*)  
 punaise de la courge, *Anasa tristis*, **Hom.** (*Coreid.*)  
 „ des choux, *Murgantia histrionica*, **Het.** (*Pentatom.*)  
 „ des lits, *Cimex lectularius*, **Het.** (*Acanthiad.*)  
 „ noire, *Corimelaena pulicaria*, **Het.** (*Pentatom.*)  
 „ terne, *Lygus pratensis*, **Het.** (*Capsid.*)  
 punctured flea-beetle, *Psylliodes punctulata*, **Col.** (*Chrysom.*)  
 purple-backed cabbage worm, *Evergestis straminealis*, **Lep.** (*Pyralid.*)  
 purple emperor, *Apatura iris*, **Lep.** (*Nymphal.*)  
 „ martin, *Progne subis*, **Lep.** (*Nymphal.*)  
 „ scale, *Lepidosaphes beckii*, **Hom.** (*Coccid.*)  
 „ „ of the orange, *Mytilaspis citricola*, **Hom.** (*Coccid.*)  
 purslane bug, *Geocoris bullatus*, **Hom.** (*Lygaeid.*)  
 „ caterpillar, *Copidryas gloveri*, **Lep.** (*Agaristid.*)  
 puss, *Harpyia vinula*, **Lep.** (*Notodont.*)  
 Putnam scale, *Aspidiotus ancylus*, **Hom.** (*Coccid.*)  
 pyrale de la feuille du pommier, *Canarsia hammondi*, **Lep** (*Pyral.*)  
 „ de la pomme, *Carpocapsa (Cydia) pomonella*, **Lep.** (*Tortrix.*)  
 „ de la vigne, *Sparganothis (Oenophthira) pileariana*, **Lep.** (*Tortr.*)  
 „ grise, *Steganoptycha pinicolana*, **Lep.** (*Tortic.*)  
 Queensland fruit fly, *Chaetodacus tryoni*, **Dipt.** (*Trypet.*)  
 quene d'or, *Porthesia chrysoorrhoea*, **Lep.** (*Lymantr.*)  
 quince curculio, *Conotrachelus crataegi*, **Col.** (*Curcul.*)  
 „ scale, *Aspidiotus cydoniae*, **Hom.** (*Coccid.*)  
 rabbit grub, *Cuterebra cuniculi*, **Dipt.** (*Oestrid.*)  
 radish fly, *Anthomyia radicum*, **Dipt.** (*Anthomyid.*)  
 railroad worm, *Rhagoletis pomonella*, **Dipt.** (*Trypet.*)  
 rape beetle, *Meligethes aeneus*, **Col.** (*Nitidul.*)  
 „ flea-beetle, *Psylliodes chrysocephala*, **Col.** (*Chrysom.*)  
 raspberry-beetle, *Byturus unicolor*, **Col.** (*Curcul.*)  
 „ cane borer, *Oberea bimaculata*, **Col.** (*Ceranbyc.*)  
 „ -cane maggot, *Phorbia (Chortophila) rubivora*, **Dipt.** (*Anthom.*)  
 „ crown borer, *Bembecia marginata*, **Lep.** (*Sesiid.*)  
 „ gouty-gall beetle, *Agrilus ruficollis*, **Col.** (*Buprestid.*)  
 „ horntail, *Hartigia abdominalis*, **Hym.** (*Lygid.*)  
 „ leaf-roller, *Olethreutes (Exartema) permundana*, **Lep.** (*Tortic.*)  
 „ root-borer, *Bembecia marginata*, **Lep.** (*Sesiid.*)

- raspberry sawfly, *Monophadnoides rubi*, **Hym.** (*Tenthred.*)  
 „ snout-moth, *Platynota rostrana*, **Lep.** (*Tortric.*)  
 „ span-worm, *Synchlora aerata*, **Lep.** (*Geometr.*)  
 „ webworm, *Pamphilius fletcheri*, **Hym.** (*Tenthred.*)  
 red amiral, *Vanessa atalanta*, **Lep.** (*Nymphal.*)  
 „ -backed cutworm, *Paragrotis ochrogaster*, **Lep.** (*Noctuid.*)  
 „ -banded leaf-roller, *Eulia velutinana* (*Lophoderus triferana*), **Lep.**  
     (*Tortric.*)  
 „ „ thrips, *Heliothrips rubrocinctus*, **Thys.** (*Thripid.*)  
 „ beetles, *Rhynchophorus* spp., **Col.** (*Curcul.*)  
 „ borer, *Zeuzera coffeae*, **Lep.** (*Cossid.*)  
 „ bug (cotton), *Dysdercus suturellus*, **Het.** (*Pyrrhocorid.*)  
 „ „ { *Heterocordylus malinus*, **Het.** (*Capsid.*)  
     { *Leptus irritans*, **Acar.** (*Tetranych.*)  
 „ coffee borer, *Zeuzera coffeae*, **Lep.** (*Cossid.*)  
 „ cotton bug (India), *Dysdercus cingulatus*, **Het.** (*Pyrrhocor.*)  
 „ cutworm, *Rhynchagrotis placida*, **Lep.** (*Noctuid.*)  
 „ gooseberry mite, *Bryobia ribis*, **Acar.** (*Tetranych.*)  
 „ -headed flea-beetle, *Systema frontalis*, **Col.** (*Chrysomel.*)  
 „ -humped (apple-tree) caterpillar, *Oedemasia* (*Schizura*) *concinna*, **Lep.**  
     (*Notodont.*)  
 „ -legged flea-beetle, *Crepidodera rufipes*, **Col.** (*Chrysomel.*)  
 „ „ ham beetle, *Necrobia rufipes*, **Col.** (*Clerid.*)  
 „ „ locust, *Melanoplus femur-rubrum*, **Orth.** (*Acrid.*)  
 „ maggot, *Porricondyla gossypii*, **Dipt.** (*Cecidomyid.*)  
 „ -necked cane-borer, *Agrius ruficollis*, **Col.** (*Buprestid.*)  
 „ or square necked cane beetle, *Cathartus gemellatus*, **Col.** (*Cucujid.*)  
 „ palm weevil, *Rhynchophorus ferrugineus*, **Col.** (*Curcul.*)  
 „ plum maggot, *Laspeyresia funebrana*, **Lep.** (*Tortric.*)  
 „ scale (of California), *Chrysomphalus aurantii*, **Hom.** (*Coccid.*)  
 „ „ (of Florida), *Aspidiotus ficus*, **Hom.** (*Coccid.*)  
 „ „ of the orange, *Chrysomphalus aurantii*, **Hom.** (*Coccid.*)  
 „ -shouldered twig-borer, *Sinoxylon basilare*, **Col.** (*Bostrych.*)  
 „ slug (on tea), *Heterusia cingala*, **Lep.** (*Zygaenid.*)  
 „ spider mite, *Tetranychus althaeae* (*bimaculatus, telarius*), **Acar.**  
     (*Tetranych.*)  
 „ stainers, *Dysdercus* spp., **Het.** (*Pyrrhocorid.*)  
 „ -tail moth, *Dasychira pudibunda*, **Lep.** (*Lymantr.*)  
 „ turnip beetle, *Entomoscelis adonidis*, **Col.** (*Chrysom.*)  
 „ weevil, *Rhynchophorus ferrugineus*, **Col.** (*Curcul.*)  
 resplendent shield-bearer, *Coptodisca splendoriferella*, **Lep.** (*Eluchist.*)  
 rhodesian fruit-fly, *Pardalaspis quinaria*, **Dipt.** (*Trypet.*)

- rhododendron bug, *Stephanitis (Leptobyrsa) rhododendri*, **Het.** (*Tingit.*)  
rhubarb curculio, *Lixus concavus*, **Col.** (*Curcul.*)  
ribbed cocoon-maker, *Bucculatrix pomifoliella*, **Lep.** (*Lyonet.*)  
ribes root aphid, *Eriosoma ulmi*, **Hom.** (*Aphid.*)  
rice bug, *Leptocorisa varicornis*, **Het.** (*Coreid.*)  
;; case-bearer, *Nymphula depunctalis*, **Lep.** (*Pyralid.*)  
;; grasshopper, *Hieroglyphus banian*, **Orth.** (*Acrid.*)  
;; grub (beetle), *Chalepus trachypygus*, **Col.** (*Chrysom.*)  
;; leaf-beetle, *Hispa aenescens*, **Col.** (*Chrysomel.*)  
;; leafhopper, *Tettigoniella spectra*, **Hom.** (*Jassid.*)  
;; root grub, *Phyllognathus dionysius*, **Col.** (*Scarabaeid.*)  
;; sapper, *Leptocorisa* spp., **Het.** (*Coreid.*)  
;; skipper, *Parnara mathias*, **Lep.** (*Hesperid.*)  
;; stalk-borer, *Chilo plejadellus*, **Lep.** (*Pyralid.*)  
;; stem-borer, { *Schoenobius incertellus*,  
; *Sch. bipunctifer*; *Chilo auricilia*, } **Lep.** (*Pyralid.*)  
;; -stem fly, *Amaurosoma armillatum*, **Dipt.** (*Scatomyzid.*)  
;; swarming caterpillar, *Spodoptera mauritia*, **Lep.** (*Noctuid.*)  
;; water-weevil, *Lissorhoptrus simplex*, **Col.** (*Curcul.*)  
;; -weevil, *Calandra oryzae*, **Col.** (*Curcul.*)  
ringed millipede, *Cambala annulata*, **Diplop.** (*Julid.*)  
ring-legged tree-bug, *Brochymena annulata*, **Het.** (*Pentatom.*)  
roadside grasshopper, *Cannula pellucida*, **Orth.** (*Oedipod.*)  
robber flies, *Asilidae*, **Dipt.**  
Rocky Mountain locust, *Melanoplus spretus*, **Orth.** (*Acrid.*)  
" " spotted fever tick, *Dermacentor venustus*, **Acar.** (*Ixodid.*)  
roller worm, *Eudamus proteus*, **Lep.** (*Hesperid.*)  
rongeur de la racine du trèfle, *Hylastes obscurus*, *Hylesinus trifolii*, **Col.**  
(*Curcul.*)  
" des tapis, *Anthrenus serophulariae*, **Col.** (*Dermest.*)  
root web-worm, *Crambus zeellus*, **Lep.** (*Pyralid.*)  
rose bud-worm, *Olethreutes nimbatana*, **Lep.** (*Tortic.*)  
" chafer, *Macrodactylus subspinosus*, **Col.** (*Scarabaeid.*)  
" cottony scale, *Palaeococcus rosae*, **Hom.** (*Coccid.*)  
" curculio, *Rhynchites bicolor*, **Col.** (*Curcul.*)  
" leaf-beetle, *Nodonota puncticollis*, **Col.** (*Chrysomel.*)  
" -leaf caterpillar, *Parasa chloris*, **Lep.** (*Limacod.*)  
" leafhopper, *Empoa rosae*, **Hom.** (*Jassid.*)  
" midge, *Dasyneura rosarum*, **Dipt.** (*Cecidomyid.*)  
" sawfly, *Endelomyia rosae*, *Caliroa aethiops*, **Hym.** (*Tenthred.*)  
" scale, *Aulacaspis rosae*, **Hom.** (*Coccid.*)  
" slug, american, *Endelomyia rosae*, **Hym.** (*Tenthred.*)



- rose slug, bristly, *Cladius pectinicornis*, **Hym.** (*Tenthred.*)  
 " " coiled, *Emphytus cinctus*, **Hym.** (*Tenthred.*)  
 rosy aphid, *Anuraphis roseus*, **Hom.** (*Aphid.*)  
 " apple aphid, *Aphis malifoliae*, **Hom.** (*Aphid.*)  
 round headed borers, *Saperda* spp., **Col.** (*Cerambyc.*)  
 " " apple-tree borer, *Saperda candida*, **Col.** (*Cerambyc.*)  
 royal palm bug, *Xylostodoris luteolus*, **Het.** (*Lygaeid.*)  
 rufous scale, *Selenaspis articulatus*, **Hom.** (*Coccid.*)  
 rust fly, *Psila rosae*, **Dipt.** (*Psilid.*)  
 " mite of orange, *Eriophyes oleivorus*, **Acar.** (*Eriophyid.*)  
 " -red flour-beetle, *Tribolium ferrugineum*, **Col.** (*Tenebrion.*)  
 rusty-brown plum aphid, *Aphis setariae*, **Hom.** (*Aphid.*)  
 " " tortrix, *Platynota flavedana*, **Lep.** (*Tortric.*)  
 " leaf mite, *Phyllocoptes schlechtendahli*, **Acar.** (*Eriophyid.*)  
 Rutherglen bug, *Nysius vinitor*, **Hom.** (*Lygaeid.*)  
 rye stem borer, *Ochsenheimeria taurella*, **Lep.** (*Pyralid.*)  
 saddle back caterpillar, *Sibine stimulea*, **Lep.** (*Limacod.*)  
 sadded prominent, *Heterocampa guttivitta*, **Lep.** (*Notodont.*)  
 sago palm scale, *Diaspis zamiae*, **Hom.** (*Coccid.*)  
 salt-marsh caterpillar, *Estigmene acraea*, **Lep.** (*Arctiid.*)  
 " " mosquito, *Culex sollicitans*, **Dipt.** (*Culic.*)  
 San Jose scale, *Aspidiotus perniciosus*, **Hom.** (*Coccid.*)  
 Sandwich Island sugar-cane borer, *Sphenophorus obscurus*, **Col.** (*Curcul.*)  
 sandy ground bug, *Emblethis arenarius*, **Het.** (*Lygaeid.*)  
 saperde le p'orme, *Saperda tridentata*, **Col.** (*Cerambyc.*)  
 " du pommier, *Saperda candida*, **Col.** "  
 satin moth, *Stilpnotia salicis*, **Lep.** (*Lymantr.*)  
 sauterelle commune, *Melanoplus femur-rubrum*, **Orth.** (*Acrid.*)  
 saúva, *Atta sexdens*, **Hym.** (*Formicid.*)  
 saw-toothed grain beetle, *Silvanus surinamensis*, **Col.** (*Cucujid.*)  
 scale destroyer, *Vedalia cardinalis*, **Col.** (*Coccinell.*)  
 scarabie du rosier, *Macrodactylus subspinosus*, **Col.** (*Scarabaeid.*)  
 scarlet mite, *Tenuipalpus obovatus*, **Acar.** (*Tetranych.*)  
 scolyte du pommier, *Stephanoderes hispidulus*, **Col.** (*Ipid.*)  
 screw-worm fly, *Chrysomyia macellaria*, **Dipt.** (*Stratiom.*)  
 scurfy bark-louse (scale), *Chionaspis furfura*, **Hom.** (*Coccid.*)  
 seed-corn agonoderus, *Agonoderus pallipes*, **Col.** (*Carabid.*)  
 " " maggot, *Phorbia ciliarura* (*Pegomyia fuscipes*), **Dipt.** (*Anthomyid.*)  
 " potato maggot, *Hylemyia trichodactyla*, **Dipt.** (*Anthomyid.*)  
 segmented black blister-beetle, *Macrobasis segmentata*, **Col.** (*Meloid.*)  
 semicolon butterfly, *Polygonia interrogationis*, **Lep.** (*Nymphal.*)  
 semitropical army-worm, *Prodenia eridania*, **Lep.** (*Noctuid.*)

- serpentine fruit-miner, *Marmara pomonella*, **Lep.** (*Tineid.*)  
 „ leaf-miner, *Nepticula pomivorella*, **Lep.** (*Nepticul.*)  
 sequoia pitch moth, *Vespaminea sequoia*, **Lep.** (*Sesiid.*)  
 seventeen year locust, *Tibicina septendecim*, **Hom.** (*Cicadid.*)  
 shagreened cutworm, *Feltia malefida*, **Lep.** (*Noctuid.*)  
 shallot fly, *Chortophila cilicrura*, **Dipt.** (*Anthomyid.*)  
 sharpdentated bark-beetle, *Ips acuminatus*, **Col.** (*Ipid.*)  
 sheep bot-fly, *Oestrus ovis*, **Dipt.** (*Oestrid.*)  
 „ louse, *Trichodectes sphaerocephalus*, **Malloph.** (*Trichodect.*)  
 „ maggot, *Oestrus ovis*, **Dipt.** (*Oestrid.*)  
 „ tick, *Melophagus ovinus*, **Acar.** (*Ixodid.*)  
 shining excrement fly, *Morellia micans*, **Dipt.** (*Anthomyid.*)  
 ✕ shot-borer, *Xyleborus piri*, **Col.** (*Ipid.*)  
 „ -hole borer, „ *rugulosus*, **Col.** (*Ipid.*)  
 shot-hole borer of tea, *Xyleborus fornicatus*, **Col.** (*Ipid.*)  
 short-nosed ox-louse, *Haematopinus eurysternus*, **Anopl.** (*Pedicul.*)  
 „ -winged mole cricket, *Scapteriscus abbreviatus*, **Orth.** (*Gryllotalp.*)  
 silkworm, *Bombyx mori*, **Lep.** (*Bombyc.*)  
 silk oak weevil borer, *Aesiotes notabilis*, **Col.** (*Curcul.*)  
 silver fish, *Lepisma domestica*, **Apt.** (*Lepismat.*)  
 „ -leaf mite of peach, *Phyllocoptes cornutus*, **Acar.** (*Eriophyid.*)  
 „ mite of lemon, *Eriophyes oleivorus*, **Acar.** (*Eriophyid.*)  
 „ pine tortricid, *Grapholitha bracteatana*, **Lep.** (*Tortric.*)  
 „ -striped webworm, *Crambus praeffectellus*, **Lep.** (*Pyralid.*)  
 sinuate pear-borer, *Agrius sinuatus*, **Col.** (*Buprest.*)  
 sinuate-striped flea-beetle, *Phyllotreta sinuata*, **Col.** (*Chrysomel.*)  
 sixdentated bark beetle, *Pityogenes chalcographus*, **Col.** (*Ipid.*)  
 „ -spotted mite of the orange, *Tetranychus sexmaculatus*, **Acar.** (*Tetranych.*)  
 „ „ tiger beetle, *Tetracha carolina*, **Col.** (*Cicindel.*)  
 „ „ tree hopper, *Cicadula sexnotata*, **Hom.** (*Jassid.*)  
 skiff caterpillar, *Prolimacodes scapha*, **Lep.** (*Cochlidid.*)  
 slender-horned flour-beetle, *Echocerus maxillosus*, **Col.** (*Tenebr.*)  
 small apricot and vine moth, *Capua angustiorana*, **Lep.** (*Tortric.*)  
 „ beautiful wood nymph, *Euthisanotiu unio*, **Lep.** (*Noctuid.*)  
 smaller bamboo shoot-hole borer, *Dinoderus minutus*, **Col.** (*Bostrych.*)  
 smaller corn stalk-borer, *Elasmopalpus lignosellus*, **Lep.** (*Pyralid.*)  
 small ermine moth, *Hyponomeuta padellus*, **Lep.** (*Hyponomeut.*)  
 „ -eyed flour-beetle, *Palorus ratzeburgi*, **Col.** (*Tenebrion.*)  
 „ faggott-worm, *Chalia doubledayi*, **Lep.** (*Psychid.*)  
 „ narcissus fly, *Euemerus strigatus*, **Dipt.** (*Syrphid.*)  
 „ pearl border fritillary butterfly, *Melitaea athalia*, **Lep.** (*Nymphal.*)  
 „ punctured flea-beetle, *Psylliodes punctulata*, **Col.** (*Chrysom.*)

- small white bristly cutworm, *Mamestra venigera*, **Lep.** (*Noctuid.*)  
 „ yellow ant, *Solenopsis debilis*, **Hym.** (*Formic.*)  
 smartweed borer, *Pyrausta ainsliei*, **Lep.** (*Pyralid.*)  
 „ flea-beetle, *Systema hudsonias*, **Col.** (*Chrysomelid.*)  
 smeared dagger, *Apatela oblinita*, **Lep.** (*Noctuid.*)  
 snow-flies, *Aleurodidae*, **Hom.**  
 „ -white linden moth, *Ennomos subsignarius*, **Lep.** (*Geometr.*)  
 snowy tree-cricket, *Oecanthus niveus*, **Orth.** (*Oecanth.*)  
 social grape caterpillar, *Harrisina americana*, **Lep.** (*Pyromorph.*)  
 „ pear sawfly, *Pamphilius flaviventris*, **Hym.** (*Tenthred.*)  
 soft scale, *Coccus hesperidum*, **Hom.** (*Coccid.*)  
 solanum root aphid, *Triphidaphis radicolica*, **Hom.** (*Aphid.*)  
 sorghum aphid, *Aphis sacchari*, **Hom.** (*Aphid.*)  
 „ midge, *Cecidomyia (Contarinia) sorghicola*, **Dipt.** (*Cecidom.*)  
 „ webworm, *Celama (Nola) sorghiella*, **Lep.** (*Nolid.*)  
 sorrel cutworm, *Acronyeta rumicis*, **Lep.** (*Noctuid.*)  
 souci, *Orgyia antiqua*, **Lep.** (*Lymantr.*)  
 southern beet webworm, *Pachyzancla bipunctalis*, **Lep.** (*Pyralid.*)  
 „ buffalo gnat, *Simulium pecuarum*, **Dipt.** (*Simuliid.*)  
 „ cabbage worm (butterfly), *Pontia protodice*, **Lep.** (*Pierid.*)  
 „ chicken tick, *Argas miniatus*, **Acar.** (*Argasid.*)  
 „ corn leaf-beetle, *Myochrous denticollis*, **Col.** (*Chrysomel.*)  
 „ corn root-worm, *Diabrotica 12 punctata*, **Col.** (*Chrysomel.*)  
 „ dog-face butterfly, *Zerene caesonia*, **Lep.** (*Geometr.*)  
 „ grass worm, *Laphygma frugiperda*, **Lep.** (*Noctuid.*)  
 „ leaf-footed plant-bug, *Euschistus tristigmus*, **Het.** (*Pentatom.*)  
 „ tobacco (tomato) worm, *Phlegethontius sexta*, **Lep.** (*Sphingid.*)  
 sour-gum scale, *Phenacaspis nyssae*, **Hom.** (*Coccid.*)  
 soy bean moth, *Laspeyresia glycinicorella*, **Lep.** (*Tortric.*)  
 speckled cutworm, *Mamestra subjuneta*, **Lep.** (*Noctuid.*)  
 sphinx à ligne blanche, *Deilephila lineata*, **Lep.** (*Sphingid.*)  
 „ catalpa, *Ceratonia catalpae*, **Lep.** (*Sphing.*)  
 „ du noyer, *Cressonia juglandis*, **Lep.** (*Sphing.*)  
 spice-bush swallowtail, *Papilio troilus*, **Lep.** (*Papilion.*)  
 spinach aphid, *Myzus persicae*, **Hom.** (*Aphid.*)  
 „ flea-beetle, *Disonycha xanthomelaena*, **Col.** (*Chrysomel.*)  
 „ leafminer (maggot), *Pegomyia hyoscyami (vicina)*, **Dipt.** (*Anthom.*)  
 spindle worm, *Achatodes zcae*, **Lep.** (*Noctuid.*)  
 spined log beetle, *Xenocnema spinipes australiae*, **Col.** (*Cossonid.*)  
 „ soldier bug, *Podisus spinosus*, **Het.** (*Pentatom.*)  
 spiny bollworm, *Earias insulana*, *E. fabia*, **Lep.** (*Cymbid.*)  
 „ citrus white fly, *Aleurocanthus woglumi*, **Hom.** (*Aleurod.*)

- spinose ear tick, *Ornithodoros megnini*, **Acar.** (*Argasid.*)
- spotted apple-tree borer, *Saperda cretata*, **Col.** (*Cerambyc.*)
- „ bean beetle, *Epilachna corrupta*, **Col.** (*Coccinell.*)
- „ beet webworm, *Hymenia perspectalis*, **Lep.** (*Pyralid.*)
- „ blister-beetle, *Epicauta maculata*, **Col.** (*Meloid.*)
- „ cotton bollworm, *Earias insulana*, **Lep.** (*Noctuid.*)
- „ cutworm, *Noctua c-nigrum*, **Lep.** (*Noctuid.*)
- „ legged cutworm, *Porosagrotis vetusta*, **Lep.** (*Noctuid.*)
- „ locust, *Aularches militaris*, **Orth.** (*Pyrgomorph.*)
- „ squash bug, *Epilachna borealis*, **Hom.** (*Coccin.*)
- „ strawberry leaf-beetle, *Typophorus canellus*, **Col.** (*Chrysom.*)
- „ tentiform leaf-miner, *Lithocolletis blancardella*, **Lep.** (*Gracilar.*)
- „ willow leaf beetle, *Melasoma (Lina) interrupta*, **Col.** (*Chrysom.*)
- „ willow-twig aphid, *Melanoxanthus salicis*, **Hom.** (*Aphid.*)
- spring canker-worm, *Palaeacrita vernata*, **Lep.** (*Geometr.*)
- „ grain aphid, *Toxoptera graminum*, **Hom.** (*Aphid.*)
- „ maple worm, *Anisota rubicunda*, **Lep.** (*Ceratocamp.*)
- X spruce budworm, *Tortrix fumiferana*, **Lep.** (*Tortic.*)
- „ gall mite (louse), *Chermes abietis*, **Hom.** (*Aphid.*)
- squash aphid, *Macrosiphum cucurbitae*, **Hom.** (*Aphid.*)
- „ borer, *Melittia satyriniformis*, **Lep.** (*Sesiid.*)
- „ bug, *Anasa tristis*, **Hom.** (*Coreid.*)
- „ ladybird (ladybeetle), *Epilachna borealis*, **Col.** (*Coccinell.*)
- „ -vine borer, *Melittia satyriniformis*, **Lep.** (*Sesiid.*)
- stable fly, *Stomoxys calcitrans*, **Dipt.** (*Muscid.*)
- X stag beetles, *Lucanidae*, **Col.**
- stalk borer, *Papaipema nitela*, **Lep.** (*Noctuid.*)
- „ worm, *Crambus caliginosellus*, **Lep.** (*Pyral.*)
- steelblue ladybird, *Orcus chalybeus*, **Col.** (*Coccinell.*)
- stengelboorder, *Diatraea striatalis*, **Lep.** (*Pyralid.*)
- stigma moth, *Anisota stigma*, **Lep.** (*Ceratocamp.*)
- stinging caterpillar, *Megalopyge opercularis*, **Lep.** (*Megalopyg.*)
- straw fly, *Chlorops taeniopus*, **Dipt.** (*Oscinid.*)
- strawberry crown-borer, *Tyloderma fragariae*, **Col.** (*Curcul.*)
- „ crown-girdler, *Otiorrhynchus ovatus*, **Col.** (*Curcul.*)
- „ crown moth, *Aegeria (Sesia) rutilans*, **Lep.** (*Sesiid.*)
- „ false-worm, *Emphytus (Harpiphorus) maculatus*, **Hym.**  
(*Tenthred.*)
- „ flea-beetle, *Haltica ignita*, **Col.** (*Chrysom.*)
- „ leaf-beetle, *Haltica litigata*, **Col.** (*Chrysomel.*)
- „ leaf-chafer, *Diplotaxis frondicola*, **Col.** (*Scarab.*)
- „ leaf-roller, *Ancylis comptana*, **Lep.** (*Tortic.*)

- strawberry midget, *Physopus tritici*, **Thys.** (*Thripid.*)
- „ root-borer { *Graphops nebulosus (pubescens)* } **Col.** (*Chrysom.*)  
 { *Typophorus canellus* }
- „ root-louse, *Aphis forbesi*, **Hom.** (*Aphid.*)
- „ root weevil, *Otiorrhynchus ovatus*, **Col.** (*Curcul.*)
- „ root worm (borer), *Typophorus (Paria) canellus*, **Col.**  
 (*Chrysomel.*)
- „ tiger moth, *Haploa reversa*, **Lep.** (*Arctiid.*)
- „ thrips, *Euthrips tritici*, **Thys.** (*Thripid.*)
- „ weevil, *Anthonomus signatus*, **Col.** (*Curcul.*)
- „ whitefly, *Aleurodes packardi*, **Hom.** (*Aleurod.*)
- streaked cottonwood leaf-beetle, *Melasoma (Lina) scripta*, **Col.** (*Chrysom.*)
- striped blister-beetle, *Epicauta vittata*, **Col.** (*Meloid.*)
- „ cabbage flea-beetle, *Phyllotreta vittata*, **Col.** (*Chrysomelid.*)
- „ cottonwood leaf-beetle, *Melasoma (Lina) scripta*, **Col.** (*Chrysomel.*)
- „ cucumber beetle, *Diabrotica vittata*, **Col.** (*Chrysom.*)
- „ cutworm, *Feltia subgothica*, **Lep.** (*Noctuid.*)
- „ flea-beetle, *Phyllotreta vittata*, **Col.** (*Chrysomel.*)
- „ green bean caterpillar, *Oedoconta cinereola*, **Lep.** (*Noctuid.*)
- „ peach worm, *Gelechia confusella*, **Lep.** (*Gelechiid.*)
- „ sod worm, *Crambus mutabilis*, **Lep.** (*Pyralid.*)
- „ tortoise beetle, *Cassida bivittata*, **Col.** (*Cassid.*)
- subterranean ground beetle, *Scarites subterraneus*, **Col.** (*Carabid.*)
- suck fly, *Dicyphus minimus*, **Het.** (*Capsid.*)
- sucking horse-louse, *Haematopinus asini* **Anopl.** (*Pediculid.*)
- Sudan bollworm, *Diparopsis castanea*, **Lep.** (*Noctuid.*)
- sugar-beet crown borer, *Hulstera undulatella*, **Lep.** (*Pyralid.*)
- „ „ root aphid, *Pemphigus betae*, **Hom.** (*Aphid.*)
- „ „ root-maggot *Tetanops aldrichi*, **Dipt.** (*Ortalid.*)
- „ „ webworm, *Loxostege (Phlyctenodes) sticticalis*, **Lep.** (*Pyralid.*)
- „ „ wireworm, *Limonius californicus*, **Col.** (*Elaterid.*)
- sugar-cane ambrosia beetle, *Xyleborus perforans*, **Col.** (*Scolytid.*)
- „ „ beetle, *Ligyris rugiceps*, *L. gibbosus*, **Col.** (*Scarabaeid.*)
- „ „ borer, { *Diatraea saccharalis crambidoideis*, **Lep.** (*Noctuid.*)  
 { *Metamasius sericeus*, **Col.** (*Curcul.*)
- „ „ bud moth, *Ereunetis flavistriata*, **Lep.** (*Tineid.*)
- „ „ froghopper, *Tomaspis varia*, **Hom.** (*Cercopid.*)
- „ „ hispid miner, *Hispa wakkeri*, **Col.** (*Chrysomel.*)
- „ „ leafhopper, *Perkinsiella saccharicida*, **Hom.** (*Fulgorid.*)
- „ „ leafroller, *Omiodes accepta*, **Lep.** (*Pyralid.*)
- „ „ mealy bug, *Pseudococcus calceolariae*, *Ps. texensis*, *Ps. sacchari*,  
**Hom.** (*Coccid.*)

- sugar-cane moth borer of ludia, *Chilo simplex*, **Lep.** (*Pyralid.*)  
 " " pin borer, *Xyleborus sacchari*, **Col.** (*Scolytid.*)  
 " " red spider, *Tetranychus exsicicator*, **Acar.** (*Tetranych.*)  
 " " root-borer, *Diaprepes abbreviatus*, **Col.** (*Curcul.*)  
 sulphur-coloured tortrix, *Epagoge sulfureana*, **Lep.** (*Tortric.*)  
 " leaf-roller, *Dichelia sulfureana*, **Lep.** (*Tortric.*)  
 sunflower beetle, *Cylindrocopturus adspersus*, **Col.** (*Curcul.*)  
 " maggot, *Straussia longipennis*, **Dipt.** (*Trypet.*)  
 swan moth, *Porthesia similis*, **Lep.** (*Lymantr.*)  
 swallow-tail, *Papilio machaon*, **Lep.** (*Papilionid.*)  
 swarte dadapwants, *Cyclopelta obscura*, **Het.** (*Pentatom.*)  
 sweet-potato flea-beetle, *Chaetocnema confinis*, **Col.** (*Chrysomel.*)  
 " " hawk-moth, *Phlegethontius cingulata*, **Lep.** (*Sphingid.*)  
 " " leaf-roller, *Pilocrocis tripunctata*, **Lep.** (*Pyralid.*)  
 " " plume moth, *Pterophorus monodactylus*, **Lep.** (*Pterophor.*)  
 " " root-borer, *Cylas formicarius*, **Col.** (*Curcul.*)  
 " " saw-fly, *Schizoceros ebenus*, **Hym.** (*Tenthredin.*)  
 " " stem borer, *Omphisa anastomosalis*, **Lep.** (*Pyral.*)  
 " " weevil { *Cylas formicarius*, **Col.** (*Curcul.*)  
                   { *Cryptorrhynchus batatae*, **Col.** (*Curcul.*)  
 " " white-fly, *Bemisia inconspicua*, **Hom.** (*Aleurod.*)  
 sycamore leaf-beetle, *Chlamys plicata*, **Col.** (*Chrysomel.*)  
 tamarind pod borer, *Sitophilus linearis*, **Col.** (*Curcul.*)  
 tapestry moth, *Trichophaga tapetzella*, **Lep.** (*Tineid.*)  
 tarnished plant-bug, *Lygus pratensis*, **Het.** (*Capsid.*)  
 taupette, taupe-grillon, *Gryllotalpa vulgaris*, **Orth.** (*Gryllotalp.*)  
 tea aphid, *Ceylonia theaeicola*, **Hom.** (*Aphid.*)  
 " mosquito bug, *Helopeltis theivora*, **Het.** (*Capsid.*)  
 " tortrix, *Capua coffearia*, **Lep.** (*Tortric.*)  
 teigne à fièvre des Mts. Rocheuses, *Dermacentor venustus*, **Acar.** (*Ixodid.*)  
 " de la betterave, *Lita ocellatella*, **Lep.** (*Gelechiid.*)  
 " de la pomme de terre, *Phthorimæa operculella*, **Lep.** (*Gelechiid.*)  
 " des choux, *Plutella maculipennis*, **Lep.** (*Tineid.*)  
 " des ruches, *Galleria melonella*, **Lep.** (*Pyralid.*)  
 " du colza, *Plutella maculipennis*, **Lep.** (*Tineid.*)  
 tenacious bill-bug, *Sphenophorus pertinax*, **Col.** (*Curcul.*)  
 ten-spotted Xanthonia, *Xanthonia decemnotata*, **Col.** (*Chrysomel.*)  
 tent caterpillar, *Gastropacha neustria*, **Lep.** (*Lasiocamp.*)  
 " " apple tree, *Malacosoma americana*, **Lep.** (*Lasiocamp.*)  
 " " forest, *Malacosoma disstria*, **Lep.** (*Lasiocamp.*)  
 " " Great Basin, " *fragilis*, " "  
 terrapine bug, *Murgantia histrionica*, **Het.** (*Pentatom.*)

- terrapin scale, *Eulecanium nigrofasciatum*, **Hom.** (Coccid.)  
 tessellated scale, *Eucalymnatus tessellatus*, **Hom.** (Coccid.)  
 tête de mort, *Acherontia atropos*, **Lep.** (Sphingid.)  
 tetranique tisserand, *Tetranychus telarius* u. a., **Acar.** (Tetranych.)  
 Texas cattle tick, *Ixodes bovis*, **Acar.** (Ixodid.)  
 " heel-fly, *Hypoderma lineata*, **Dipt.** (Oestrid.)  
 texan mealy bug, *Dactylopius tomentosus*, **Hom.** (Coccid.)  
 thick-thiged Metapodius, *Metapodius femoratus*, **Het.** (Coreid.)  
 " " walking-stick, *Diapheromera femorata*, **Orth.** (Phasmid.)  
 three-lined leaf-beetle } *Lema trilineata*, **Col.** (Chrysomel.)  
 " " potato beetle }  
 " spotted flea-beetle, *Disonycha triangularis*, **Col.** (Chrysomel.)  
 " " soldier-bug, *Euschistus tristigmus*, **Het.** (Pentatom.)  
 thrips commune de l'herbe, *Anaphothrips striatus*, **Thys.** (Thripid.)  
 " de l'oignon, *Thrips tabaci*, **Thys.** (Thripid.)  
 thurberia boll-weevil, *Anthonomus thurberiae*, **Col.** (Curcul.)  
 " bollworm, *Thurberiaphaga catalina*, **Lep.** (Noctuid.)  
 tigre du poirier, *Stephanitis piri*, **Het.** (Tingit.)  
 tile-horned prionus, *Prionus imbricornis*, **Col.** (Cerambyc.)  
 timber beetle, *Nacerdes melanura*, **Col.** (Oedemerid.)  
 timothy bill-bug, *Sphenophorus sculptilis*, **Col.** (Curcul.)  
 " leaf-miner, *Odontocera (Chalepus) dorsalis*, **Col.** (Chrysomel.)  
 " plant-bug, *Oncognathus binotatus*, **Het.** (Capsid.)  
 tingitid bug, little, *Corythuca irrorata*, **Het.** (Tingit.)  
 Tischeria apple leaf miner, *Tischeria malifoliella*, **Lep.** (Gracilar.)  
 tobacco beetle, *Catorama tabaci*, **Col.** (Anobiid.)  
 " budworm, *Chloridea virescens*, **Lep.** (Noctuid.)  
 " cutworm, { *Agrotis segetum*, **Lep.** (Noctuid.)  
                   { *Prodenia litura* " "  
 " flea-beetle, *Epitrix parvula*, **Col.** (Chrysom.)  
 " hornworm, { *Acherontia lachesis*, **Lep.** (Sphingid.)  
                   { *Protoparce carolina*, " "  
 " leaf-miner, { *Acrocerops sanctaecrucis*, **Lep.** (Gracilariid.)  
                   { *Phthorimaea operculella*, **Lep.** (Gelechiid.)  
 " slug, *Lema bilineata*, **Col.** (Chrysom.)  
 " splitworm, *Phthorimaea operculella*, **Lep.** (Gelechiid.)  
 " stalk weevil, *Trichobaris mucorea*, **Col.** (Curcul.)  
 " stem borer, *Gnorimoschema heliopa*, **Lep.** (Gelechiid.)  
 " suckfly, *Dicyphus minimus*, **Het.** (Capsid.)  
 " thrips, *Physopus nicotianae*, **Thys.** (Thripid.)  
 " white fly, *Aleurodes tabaci*, **Hom.** (Aleurod.)  
 " wireworm, *Agriotes* u. *Athous* spp., **Col.** (Elaterid.)

- tobacco wireworm, *Crambus caliginosellus*, **Lep.** (*Pyral.*)  
 „ worm, *Protoparce (Phlegetontius) quinquemaculatus u. sexta*,  
**Lep.** (*Sphingid.*)
- tomato beetle, *Ulus crassus*, **Col.** (*Tenebr.*)  
 „ fly, *Lonchaea splendida*, **Dipt.** (*Trypet.*)  
 „ stalk beetle, *Trichobaris mucorea*, **Col.** (*Curcul.*)  
 „ stilt-bug, *Jalysus spinosus*, **Het.** (*Neidid.*)  
 „ weevil, *Desiantha nociva*, **Col.** (*Curcul.*)  
 „ worm, 

}	<i>Heliothis obsoleta (armigera)</i> , <b>Lep.</b> ( <i>Noctuid.</i> )
}	<i>Protoparce (Phlegetontius) quinquemaculatus u. sexta</i> , <b>Lep.</b> ( <i>Sphingid.</i> )
- toon shoot borer (twigborer), *Hypsipyla robusta*, **Lep.** (*Pyralid.*)  
 toothed flea-beetle, *Chaetocnema denticulata*, **Col.** (*Chrysom.*)  
 tordense des fenilles des serres, *Cacoecia parallela*, **Lep.** (*Tortric.*)  
 two-striped tortoise beetle, *Cassida bivittata*, **Col.** (*Cassid.*)  
 three-cornered alfalfa-hopper, *Stictocephala festina*, **Het.** (*Membrac.*)  
 tree cricket, *Oecanthus nigricornis*, **Orth.** (*Gryllid.*)  
 triangular flea-beetle, *Disonycha triangularis*, **Col.** (*Chrysomel.*)  
 troublesome umbrella ant, *Oecodoma cephalotes*, **Hym.** (*Form.*)  
 trumpet leaf-miner, *Tischeria malifoliella*, **Lep.** (*Gracilar.*)  
 tulip mite, *Rhizoglyphus echinopus*, **Acar.** (*Tyroglyph.*)  
 „ tree leaf gall-fly, *Diplosis liriodendri*, **Dipt.** (*Cecidom.*)  
 „ „ scale insect, *Lecanium tulipiferae*, **Hom.** (*Coccid.*)  
 tumblebug, *Canthon laevis*, **Col.** (*Scarab.*)  
 turkey gnat, *Simulium meridionale*, **Dipt.** (*Simuliid.*)  
 turnip aphid, *Aphis pseudobrassicae*, **Hom.** (*Aphid.*)  
 „ flower beetle, *Meligethes aeneus*, **Col.** (*Nitidul.*)  
 „ gall weevil, *Ceutorrhynchus pleurostigma*, **Col.** (*Curcul.*)  
 „ moth, *Euxoa (Agrotis) segetum*, **Lep.** (*Noctuid.*)  
 „ mud-beetle, *Helophurus rufipes*, **Col.** (*Hydrophil.*)  
 „ sawfly, *Athalia spinarum*, **Hym.** (*Tenthred.*)  
 tussock moth, *Orgyia leucostigma*, **Lep.** (*Lymantr.*)  
 „ „ white marked, *Hemerocampa leucostigma*, **Lep.** (*Lymantr.*)  
 twelve-spotted asparagus beetle, *Crioceris duodecimpunctata*, **Col.** (*Chrysom.*)  
 „ „ cucumber beetle, *Diabrotica duodecimpunctata*, **Col.**  
 (*Coccinell.*)
- twice-stabbed ladybird, *Chilocorus bivulnerus*, **Col.** (*Coccinell.*)  
 twig cutter, *Rhynchites coeruleus*, **Col.** (*Curcul.*)  
 „ girdler, *Oncideres cingulata*, **Col.** (*Cerambyc.*)  
 „ pruner, *Elaphidion villosum*, **Col.** (*Cerambyc.*)  
 ✗ two-lined chestnut borer, *Agrilus bilineatus*, **Col.** (*Buprest.*)  
 two-spotted mite, *Tetranychus bimaculatus*, **Acar.** (*Tetranych.*)



- two-spotted red spider, *Tetranychus bimaculatus*, **Acar.** (*Tetranych.*)  
two-striped locust, *Melanoplus bivittatus*, **Orth.** (*Acrid.*)  
" " walking stick, *Anisomorpha buprestoides*, **Orth.** (*Phasmid.*)  
unspotted tentiform leaf-miner, *Ornia geminatella*, **Lep.** (*Gracilar.*)  
Vagabond crambus, *Crambus vulgivagellus*, **Lep.** (*Pyr.*)  
variegated cutworm, *Agrotis (Peridroma) saucia*, **Lep.** (*Noctuid.*)  
velvet bean caterpillar, *Anticarsia gemmatilis*, **Lep.** (*Noctuid.*)  
ver à raies vertes de l'éérable, *Anisota rubicunda*, **Lep.** (*Ceratocamp.*)  
" à groseille à grappes, *Epochra canadensis*, **Dipt.** (*Trypetid.*)  
" de la tomate, *Phlegetontius sexta*, **Lep.** (*Sphingid.*)  
" des choux, *Phorbia brassicae*, **Dipt.** (*Anthomyid.*)  
" de l'oignon, *Hylemyia antiqua*, **Dipt.** (*Anthomyid.*)  
" des fruits verts, *Graphiphora alia*, **Lep.** (*Noctuid.*)  
" du bourgeon, *Eucosma (Tmetocera) ocellana*, **Lep.** (*Tortric.*)  
" du bourgeon de l'épinette, *Tortrix fumiferana*, **Lep.** (*Tortric.*)  
" du chaume de blé, *Meromyza americana*, **Dipt.** (*Oscinid.*)  
" exotique des choux, *Pontia rapae*, **Lep.** (*Pierid.*)  
" " du raisin, *Pteronus ribesii*, **Hym.** (*Tenthred.*)  
" gris à dos rouge, *Paragrotis ochrogaster*, **Lep.** (*Noctuid.*)  
" " bronze, *Nephelodes minians*, **Lep.** (*Noctuid.*)  
" " noir, *Agrotis ypsilon*, **Lep.** (*Noctuid.*)  
" " panaché, *Peridroma saucia*, **Lep.** (*Noctuid.*)  
" " tacheté, *Noctua c-nigrum*, **Lep.** (*Noctuid.*)  
" " vitreaux, *Hadena devastatrix*, **Lep.** (*Noctuid.*)  
ver rongueur du pommier, *Chrysobotrys femorata*, **Col.** (*Ceram.*)  
" rose, *Platyedra gossypiella*, **Lep.** (*Pyr.*)  
verbena bud moth, *Olethreutes hebeana*, **Lep.** (*Tortric.*)  
Victoria bean butterfly, *Zizera labradus*, **Lep.** (*Zygaen.*)  
victorian white ant, *Termes australis*, **Corr.** (*Termit.*)  
vine chafers, *Anomala spp.*, **Col.** (*Scarabaeid.*)  
" flea-beetle, *Haltica ampelophaga*, **Col.** (*Chrysom.*)  
" -worm, *Eudemis vacciniaria*, **Lep.** (*Tortric.*)  
vinegar fly, *Drosophila ampelophila*, **Dipt.** (*Trypet.*)  
violet gall-fly, *Diplosis violicala*, **Dipt.** (*Cecidom.*)  
" sawfly, *Emphytus canadensis*, **Hym.** (*Tenthred.*)  
virginian anisota, *Anisota virginiensis*, **Lep.** (*Ceratocamp.*)  
vulcain, *Vanessa atalanta*, **Lep.** (*Nymphal.*)  
walang sangit, *Leptocorisa acuta*, **Het.** (*Coreid.*)  
walking stick, *Diapheromera femorata (et al.)*, **Orth.** (*Phasmid.*)  
walnut case bearer, *Mineola juglandis*, **Lep.** (*Pyr.*)  
" caterpillar, *Datana integerrima*, **Lep.** (*Notodont.*)  
" scale, *Aspidiotus juglans-regiae*, **Hom.** (*Coccid.*)

- walnut span-worm, *Comiodes (Boarmia) plumo-geraria*, **Lep.** (*Geometr.*)  
 „ -sphinx, *Cressonia juglandis*, **Lep.** (*Sphingid.*)  
 „ worm, *Cydia (Carpocapsa) pomonella*, **Lep.** (*Tortric.*)  
 warble, w. fly, *Hypoderma lineata u. bovis*, **Dipt.** (*Oestrid.*)  
 wavy-necked flea-beetle, *Disonycha crenicollis*, **Col.** (*Chrysomel.*)  
 „ -striped flea-beetle, *Phyllotreta sinuata*, **Col.** (*Chrysomel.*)  
 watercress caddis worm, *Limnophilus flavicornis*, **Trich.** (*Limnophil.*)  
 „ leaf-beetle, *Phaedon aeruginosa*, **Col.** (*Chrysomel.*)  
 wattle goath moth, *Zeuzera eucalypti*, **Lep.** (*Cossid.*)  
 „ moth, *Teia anartoides*, **Lep.** (*Lymantr.*)  
 wax scale, *Ceroplastes rubens*, **Hom.** (*Coccid.*)  
 web spinning sawfly, *Neurotoma inconspicua*, **Hym.** (*Tenthred.*)  
 webbing clothes moth, *Tineola biselliella*, **Lep.** (*Tineid.*)  
 webworm, fall, *Hyphantria cunea*, **Lep.** (*Arctiid.*)  
 „ silver striped, *Crambus praelectellus*, **Lep.** (*Pyralid.*)  
 „ striped sod, *Crambus mutabilis*, **Lep.** (*Pyralid.*)  
 weevil stalk borer of sugar-cane, *Metamasius sericeus*, **Col.** (*Curcul.*)  
 well-marked cutworm, *Noctua clandestina*, **Lep.** (*Noctuid.*)  
 west indian cane-fly, *Stenocranus (Saccharosydne) saccharivora*, **Hom.**  
 (*Fulgorid.*)  
 „ „ fruit fly, *Anastrepha fraterculus*, **Dipt.** (*Trypet.*)  
 „ „ peach scale, *Diaspis pentagona*, **Hom.** (*Coccid.*)  
 „ „ rufous scale, *Aspidiotus articularis*, **Hom.** (*Coccid.*)  
 „ „ sugar cane-borer, *Metamasius hemipterus*, **Col.** (*Curcul.*)  
 „ „ „ „ leafhopper, *Kolla (Tettigonia) similis*, **Hom.** (*Jassid.*)  
 „ „ „ „ root borer (weevil), *Diaprepes abbreviatus*, **Col.**  
 (*Curcul.*)  
 „ „ sweet-potato weevil, *Eusecepes batatae*, **Col.** (*Curcul.*)  
 western beet leaf-beetle, *Monoxia conspua*, **Col.** (*Chrysomel.*)  
 „ cabbage flea-beetle, *Phyllotreta albionica*, **Col.** (*Chrysomel.*)  
 „ corn root-worm, *Diabrotica longicornis*, **Col.** „  
 „ cricket, *Anabrus purpurascens*, **Orth.** (*Decticin.*)  
 „ cucumber beetle, *Diabrotica trivittata*, **Col.** (*Chrysomel.*)  
 „ flea-beetle, *Phyllotreta pusilla*, **Col.** (*Chrysom.*)  
 „ grain sawfly, *Cephus orientalis*, **Hym.** (*Lydid.*)  
 „ green June beetle, *Allorhina mutabilis*, **Col.** (*Scarab.*)  
 „ or mormon cricket, *Anabrus simplex*, **Orth.** (*Decticin.*)  
 „ pine bark beetle, *Dendroctonus brevicornis*, **Col.** (*Ipid.*)  
 „ potato flea beetle, *Epitrix subscrimata*, **Col.** (*Chrysomel.*)  
 „ pulvinaria, *Pulvinaria occidentalis*, **Hom.** (*Coccid.*)  
 „ radish maggot, *Phorbia planipalpis*, **Dipt.** (*Anthomyid.*)  
 „ rose snout-beetle, *Rhynchites wickhami*, **Col.** (*Curcul.*)



